

Cucumber Report

Feb 14, 2022, 3:37:30 AM

Start : Feb 14, 3:35:05.930 AM

End : Feb 14, 3:37:25.261 AM

Duration : 2 m 19.331 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 11







| # | Feature Name | T | P | F | S | Duration |
|---|------------------------|---|---|---|---|--------------|
| 1 | BUSINESS PARTNER SETUP | 1 | 0 | 1 | 0 | 2 m 19.331 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------|---|----|---|---|----|--------------|
| 1 | BUSINESS PARTNER SETUP | Create a Vendor for the procurement of an asset | 16 | 4 | 1 | 11 | 2 m 19.325 s |




(F)- BUSINESS PARTNER SETUP


| | | | | | |
|--------------------------------------|--------------------------------|--|---|--|---|
| FAILED | DURATION - 2 m 19.331 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 16 Pass - 4 Fail - 1 Skip - 11 |  |
| / 3:35:05.930 AM // 3:37:25.261 AM / | | | | | |
| | | | | | |

(S)- Create a Vendor for the procurement of an asset

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 2 m 19.325 s</div> | | <div></div> | <div>Steps</div> <div>Total - 16</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 11</div> | <div></div> |
| <div>/ 3:35:05.936 AM // 3:37:25.261 AM /</div> | | | | |
| <div>BUSINESS PARTNER SETUP</div> | | | | |
| <div>@KUBS_FAT_UAT_001_001</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 19.093 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.008 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to business partner setup menu | PASSED | 0.257 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.262 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| |  | | |
| 3 | When click on eye button of business partner | PASSED | 0.664 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.771 s |
| | screenshot  | | |
| 4 | And click on add button of business partner | PASSED | 0.239 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.396 s |
| | screenshot  | | |
| 5 | And Fill the required fields to create a vendor org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [78d2d2792f4e8a965188e59c6ab7a798, isElementDisplayed {id=ca534731-f934-4392-ae06-b8a1b87347ff}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:55973}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55973/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (78d2d2792f4e8a965188e59c6ab7a798)] -> xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: 78d2d2792f4e8a965188e59c6ab7a798 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | FAILED | 1 m 33.907 s |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307) atjdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIsVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.BUSINESS_PARTNER_SETUP_BusinessPartner. fill_the_required_fields_to_create_a_vendor(BUSINESS_PARTNER_SETUP_BusinessPartner.java:141) at ?.Fill the required fields to create a vendor(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ BUSINESS_PARTNER_SETUP_BusinessPartner.feature:11) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.202 s |
| 6 | Then Save and submit the record to create vendor | SKIPPED | 0.000 s |
| 7 | And User should go to the kubs url and login as a reviewer user | SKIPPED | 0.000 s |
| 8 | Then Click on notification button in reviewer | SKIPPED | 0.000 s |
| 9 | And approve the record by the reviewer user | SKIPPED | 0.001 s |
| 10 | Given User should go to the kubs url and login as a checker user | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 11 | And Click on security management in checker | SKIPPED | 0.000 s |
| 12 | Then Click on open pool in checker | SKIPPED | 0.000 s |
| 13 | And Click on claim button in checker | SKIPPED | 0.000 s |
| 14 | And capture claimed status | SKIPPED | 0.001 s |
| 15 | Then click on notification in checker | SKIPPED | 0.000 s |
| 16 | Then checker should approved the contract record | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement
of an asset


(F) BUSINESS PARTNER SETUP



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement
of an asset

(F) BUSINESS PARTNER SETUP



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement
of an asset

(F) BUSINESS PARTNER SETUP

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Business partner setup

Business partner

General ledger configuration

Accounting setup

Expense/AR & AP configurati...

Budget configuration

Fixed assets configuration

















Inventory maintenance

Bank recon

Petty cash configuration

22 Appro... 11 Messa...

Business Partner View

| Actions | BP Code | BP Name | BP Type | BP Sub Type | Reference Number | Status |
|---|-----------|---------------------------|------------|-------------|------------------|-----------|
|   | VENDOR-25 | rakesh kumar 4 | Individual | VENDOR | 1231 | Active |
|   | VENDOR-24 | rakesh kumar1 | Individual | VENDOR | 978 | Active |
|   | VENDOR-23 | rakesh kumar | Individual | VENDOR | | Active |
|   | VENDOR-22 | Shisankar Sivanand Lahari | Individual | VENDOR | IN000209 | Active |
|   | VENDOR-21 | Anant | Individual | VENDOR | | In-Active |
|   | Agency-20 | Ravi | Corporate | Agency | 17 | Active |
|   | Agency-19 | Gangeeta | Corporate | Agency | 12 | Active |
|   | Dealer-18 | Indian Oil Corporation | Corporate | Dealer | REF-001 | In-Active |

29 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement
of an asset

(F) BUSINESS PARTNER SETUP

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Business partner setup

Business partner

General ledger configuration

Accounting setup

Expense/AR & AP configurati...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Petty cash configuration

22 Appro... 11 Messa...

Business Partner

BP Code BP Type BP Sub Type

Reference Type Reference Code No

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement
of an asset

(F) BUSINESS PARTNER SETUP

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Business Partner Individual Identification Bank Account HSN/SAC Code Mapping

Business Partner Identification ViewSummary Submit Cancel

* ID Type * ID Number

Business partner setup

Business partner

General ledger configuration

Accounting setup

Expense/AR & AP configurati...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Petty cash configuration

22 Appro... 11 Messa...