

# Cucumber Report

9 Jan 2023, 9:03:20 PM

Start : Jan 09, 9:02:41.721 PM

End : Jan 09, 9:03:18.428 PM

Duration : 36.707 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	36.707 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	3	1	5	36.704 s



**(F)- AR/AP Module**


<b>FAILED</b>	<b>DURATION - 36.707 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 3 Fail - 1 Skip - 5	
/ 9:02:41.721 PM // 9:03:18.428 PM /					


**(S)- Verify status for the receipt is auto changed to Deposit**



<b>FAILED</b>	<b>DURATION - 36.704 s</b>		Steps Total - 9 Pass - 3 Fail - 1 Skip - 5	
/ 9:02:41.724 PM // 9:03:18.428 PM /				
AR/AP Module				
@AR/AP				
@KUBS_AR_AP_UAT_010_002_TC_02_01				



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	25.798 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.934 s
	screenshot		
			
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.547 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			
4	And goto accouts receipt module	FAILED	1.015 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "exe" is null     at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)     at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:49)     at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.goto_accouts_receipt_module(ARAP_ClearingReceiptViaChequeMode.java:108)     at ?.goto accouts receipt module(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1054)     * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
5	And click on Add Icon	SKIPPED	0.000 s
6	And fill the all receipt mendatory details	SKIPPED	0.000 s
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		