Cucumber Report

Start : Mar 25, 4:13:05.508 PM	End : Mar 25, 4:14:01.550 PM	Duration : 56.042 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 19 FAILED - 1 SKIPPED - 15

#	Feature Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	1	0	1	0	56.042 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	Return inventories unwanted by branch to issuers	35	19	1	15	56.036 s

(F)- To verify user can see the GL report for stock return to vendors

| FAILED	DURATION - 56.042 s	Scenarios		Steps	
/ 4:13:05.508 PM // 4:14:01.550 PM /		Total - 1	1	Total - 35	35
		Pass - 0		Pass - 19	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Return inventories unwanted by branch to issuers

FAILED	DURATION - 56.036 s		Steps	
/ 4:13:05.514 PM // 4:14:01.550 PM /			Total - 35	35
To verify user can see the GL report for stock return to vendors			Pass - 19	
			Fail - 1	
@KUBS_INV_MGMT_UAT_005_StockReturn			Skip - 15	

| #	Step / Hook Details	Status	Duration
1	Given Azentio Maker user url	PASSED	16.504 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.448 s
	screenshot		
2	Then Click on Second icon page	PASSED	0.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And Click Inventory Management module	PASSED	0.566 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
4	And Click on stock return from branch SubModule Eye icon	PASSED	1.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
5	Then Click on stock return from branch Add icon	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
6	And Click on Request Referance No code	PASSED	0.715 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Issue Referance No code	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
8	And Click on item code	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
9	And Enter Return Quantity Stock value	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
10	Then Click on Return Type and Choose Type	PASSED	0.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on Return Reason and Choose Type	PASSED	0.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
12	Then Save the Inventory Stock Record	PASSED	3.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
13	And goto the maker Notification icon	PASSED	0.959 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
14	Then Click Submit icon to Inventory Record	PASSED	0.887 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And Give Remark and submit Inventory field	PASSED	3.838 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
16	Given Login As Reviewer user	PASSED	10.700 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.082 s
	screenshot		
17	And Goto the Reviewer Notification	PASSED	0.822 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
18	Then Find submitted Record from maker End and open the Record	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	And Approve the Record from Reviewer End	PASSED	2.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
20	Then Enter The Remark and submit from Reviewer End	FAILED	0.031 s

	java.lang.NullPointerException: Cannot invoke "java.util.List.stream()" because "this.StockReturnBranchList" is null
	    at dataProvider.JsonConfig.getStockReturnBranchByName(JsonConfig.java:501)
	    at stepdefinitions.INVENTORY_StockReturnBranch.enter_the_remark_and_submit_from_reviewer_end(INVENTORY_StockReturnBranch.java:262)
	    at ?.Enter The Remark and submit from Reviewer End(file:///C:/Users/inindc00082/git/AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:80)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
21	Given Login As Checker user	SKIPPED	0.000 s
22	Then Click module Security management	SKIPPED	0.000 s
23	And Click Sub module open Pool	SKIPPED	0.000 s
24	And Claim the Record Which submit from Reviewer	SKIPPED	0.000 s
25	Then Goto the Checker Notification	SKIPPED	0.001 s
26	And Find submitted Record from Reviewer End and Open the Record	SKIPPED	0.000 s
27	Then Get Item Description value	SKIPPED	0.006 s

#	Step / Hook Details	Status	Duration
28	And Approve the Record from Checker End	SKIPPED	0.000 s
29	Then Enter the Remark and submit from checker End	SKIPPED	0.001 s
30	Given Azentio Maker user url	SKIPPED	0.000 s
31	Then Click on Inventory Maintance module	SKIPPED	0.000 s
32	And click on Master Item eye icon	SKIPPED	0.000 s
33	Then click on the search icon	SKIPPED	0.000 s
34	And Give Item description value and Click Edit icon	SKIPPED	0.001 s
35	When validate the quantity of the Item	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

☰ 🌐 Kastle Universal Banking (Beta)				04-Nov-2022 English ▾	Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 REVIEWER

No Module Mapped ▾

← Inbox 🔍

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	101	STOCK_RETURN	REVIEWER	REVIEWER	1002436
✏	100	STOCK_RETURN	REVIEWER	REVIEWER	1002436
✏	97	STOCK_RETURN	REVIEWER	REVIEWER	1002436
✏	95	STOCK_RETURN	REVIEWER	REVIEWER	1002436
✏	296	BUDGET_REGISTER	REVIEWER	REVIEWER	1002436

187 total

|◀ ◀ **1** 2 3 4 5 ▶ ▶|

22 Appro... ✕ 11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

☰ 🌐 Kastle Universal Banking (Beta)   04-Nov-2022 English ▾   Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 REVIEWER

No Module Mapped ▾

Welcome, Reviewer

22 Appro... ✕ 11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors