Cucumber Report

Start : Mar 23, 5:54:21.794 pm	*End : Mar 23, 5:54:44.662 pm*	*Duration : 22.868 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0
1	1	8

#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	22.868 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Check Budget Request and Allocation feature module*	*System Should follow the flow as Search criteria*	8	8	0	0	22.863 s

(F)- Check Budget Request and Allocation feature module

| PASSED	DURATION - 22.868 s	Scenarios		Steps	
/ 5:54:21.794 pm // 5:54:44.662 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 8 Pass - 8 Fail - 0 Skip - 0	8

(S)- System Should follow the flow as Search criteria

PASSED	DURATION - 22.863 s		Steps	
/ 5:54:21.799 pm // 5:54:44.662 pm /			Total - 8	
Check Budget Request and Allocation feature module			Pass - 8 Fail - 0 Skip - 0	8
@KUBS_SEARCH_CRITERIA_BP_BC_11_01				

| #	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	14.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
2	Then Click Transfer Icon	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Budget Module	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
4	Then Click to Budget module Budget Request and Allocation Edit Icon	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
5	And Click on search icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
6	Then Enter the search code we Need	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Click the action button	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.342 s
8	Then Capture the code is displayed	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.408 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System Should follow the flow as Search criteria	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System Should follow the flow as Search criteria	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System Should follow the flow as Search criteria (F) Check Budget Request and Allocation feature module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System Should follow the flow as Search criteria (F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System Should follow the flow as Search criteria (F) Check Budget Request and Allocation feature module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System Should follow the flow as Search criteria (F) Check Budget Request and Allocation feature module	