

FEATURES SUMMARY -- 2 --



| # | | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the Functionality of the GL2 Module | 1 | 0 | 1 | 0 | 18.987 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|---|---|---|---|---|----------|
| 1 | Check the Functionality of the GL2 | Check the created already and trying to create same | 8 | 7 | 1 | 0 | 18.981 s |
| | Module | accounting book | | | | | |

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

| FAILED | DURATION - 18.987 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 8 | |
| / 11:46:45.943 a | nm // 11:47:04.930 am / | Pass - 0 | 1 | Pass - 7 | 8 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Check the created already and trying to create same accounting book



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to Azentio Kubs | PASSED | 12.275 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | screenshot | | |
| | Description of the control of the co | | |
| 2 | And Click on Accounting Setup module | PASSED | 0.113 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.196 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | | | |
| 3 | Then Click sub module Accounting book definition | PASSED | 0.387 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.238 s |
| | screenshot | | |
| | | | |
| 4 | And Click on Add icon | PASSED | 0.233 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.259 s |
| 5 | Then Choose the Template Type of Custom Template | PASSED | 0.339 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texample of the step of the st | PASSED | 0.162 s |
| 6 | And Enter Another Book Name | PASSED | 0.202 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot |] | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | ## Open control of the control of th | | |
| 7 | Then Enter the Remark | PASSED | 0.216 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | screenshot | | |
| | | | |
| 8 | Then Validate the Message we get | FAILED | 0.017 s |
| | org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fed0bdb6f9b40685cccfe256746b357f, executeScript {script=return document.querySelector('ion-toast').shadowRoot. querySelector('div[class=toast-message]'), args=[]]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:USersININDC-1\AppDataL}} goog:chromeOptions: {debuggerAddress: localhost:60281}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformMame: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60281/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {mplicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptEehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fed0bdb6f9b40685cccfe256746b357f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(D | | |

DETAILED SECTION -- 7 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at ?.Validate the Message we get(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL2_Accounting_Setup.feature:77) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.143 s |
| | screenshot | | |
| | | | |

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

