Cucumber Report

Start : Jan 12, 1:49:01.873 PM	End : Jan 12, 1:49:59.413 PM	Duration : 57.540 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	user create the patty cash login details	1	1	0	0	57.540 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create the patty cash login details	Check report for petty cash receipt	8	8	0	0	57.533 s

(F)- user create the patty cash login details

PASSED	DURATION - 57.540 s	Scenarios		Steps	
/ 1:49:01.873 PM // 1:49:59.413 PM /		Total - 1		Total - 8	
		Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check report for petty cash receipt

PASSED	DURATION - 57.533 s		Steps	
/ 1:49:01.880 PM // 1:49:59.413 PM /			Total - 8	
user create the patty cash login details			Pass - 8	8
@KUBS_PC_UAT_006_002			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	37.658 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.760 s
	screenshot		
	+		
2	Then click on report icon	PASSED	3.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And user should navigate to reports menu	PASSED	0.465 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
4	Then user update the Excel sheet testdata for Pettycashs	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
5	Then click on temp grid button of petty cash receipt report	PASSED	1.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		
6	And select the date to check the petty cash receipt details are displaying	PASSED	1.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
7	Then click in the view button to check	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then the report is displaying all the petty cash receipt details	PASSED	3.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.441 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash receipt

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash receipt

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash receipt

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash receipt

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash receipt

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash receipt

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check report for petty cash receipt	
(F) user create the patty cash login details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check report for petty cash receipt	
(F) user create the patty cash login details	