Cucumber Report

| Start : Dec 08, 6:05:05.572 PM	End : Dec 08, 6:05:45.420 PM	Duration : 39.848 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 11

Features: 1

Scenarios: 1

Steps: 17

Pass %: 0 %

Pass %: 0 %

Pass %: 29 %

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	39.848 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Accounts Receivable Report post Debit Note is cancelled	17	5	1	11	39.842 s

(F)- AR/AP Module

FAILED	DURATION - 39.848 s	Scenarios		Steps	
/ 6:05:05.572 PM // 6:05:45.420 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 17 Pass - 5 Fail - 1 Skip - 11	17

(S)- Verify Accounts Receivable Report post Debit Note is cancelled

FAILED	DURATION - 39.842 s		Steps	
/ 6:05:05.578 PM // 6:05:45.420 PM /			Total - 17	
AR/AP Module			Pass - 5 Fail - 1	17
@AR/AP @KUBS_AR_AP_UAT_003_006_TC_03			Skip - 11	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
2	Then select data set ID for accounts receivable report post debit note is cancelled	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	PASSED	1.857 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.313 s
4	And Click On Main module Accounts Receivable	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.211 s
5	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.319 s
6	And Click On Search Icon	FAILED	1.335 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-icon _ngcontent-ril-c277="" slot="end" title="Enable Search" style="cursor: pointer;" ng-reflect-color="primary" ng-reflect-name="search" role="img" class="md ion-color ion-color-primary hydrated" aria-label="search" name="search"></ion-icon> is not clickable at point (1408, 87). Other element would receive the click: <div _ngcontent-ril-c177="" class="ngx-overlay foreground-closing" style="background-color: rgba(40, 40, 40, 0.8); border-radius: 0px;">...</div> (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU',		

#	Step / Hook Details	Status	Duration

	ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [2c8cdfef1a62185454027f0cb6d0366b, clickElement {id=779d47cc-f891-4e8d-8b8a-590d3e570904}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58933}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58933/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2c8cdfef1a62185454027f0cb6d0366b)] -> xpath: //ion-icon[@ng-reflect-name='search']] Session ID: 2c8cdfef1a62185454027f0cb6d0366b
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.ARAP_AccountsPayableReport.click_on_search_icon(ARAP_AccountsPayableReport.java:75)
	    at ?.Click On Search Icon(file:///C:/Users/inindc00091/git/AzentioAutomationFramework/ARAP_Excel_priyanka0612/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp_2_Excel.feature:52)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.232 s
7	Then Enter Cancelled Value In Debit Not Status	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
9	And Get The Bp Name and Debit Number Store It	SKIPPED	0.000 s
10	Then Third Segment report Icon	SKIPPED	0.000 s
11	And Click main Reports module	SKIPPED	0.001 s
12	Then Click on sub module Accounts Receivable Report	SKIPPED	0.000 s
13	And Give Getted Business Partner Name in field	SKIPPED	0.000 s
14	Then Give Current business Date in Account receivable report	SKIPPED	0.000 s
15	And Give Accounts Payable Status	SKIPPED	0.000 s
16	Then Click on View buttons	SKIPPED	0.000 s
17	And Verify Accounts Receivable Report post Debit Note is cancelled	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Receivable Report post Debit Note is cancelled	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Receivable Report post Debit Note is cancelled	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Receivable Report post Debit Note is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Receivable Report post Debit Note is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Receivable Report post Debit Note is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Receivable Report post Debit Note is cancelled

(F) AR/AP Module