

Cucumber Report

19 Jan 2023, 12:34:56 PM

Start : Jan 19, 12:34:10.459 PM

End : Jan 19, 12:34:54.678 PM

Duration : 44.219 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 24







| # | Feature Name | T | P | F | S | Duration |
|---|-------------------------------------|---|---|---|---|----------|
| 1 | <u>To create Bank Recon details</u> | 1 | 0 | 1 | 0 | 44.219 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|--|----|---|---|----|----------|
| 1 | <u>To create Bank Recon details</u> | <u>Create format master and Data matching Rules for a specific Bank and Account Type</u> | 31 | 6 | 1 | 24 | 44.212 s |


(F)- To create Bank Recon details

| | | | | | |
|--|----------------------------|--|---|--|---|
| FAILED | DURATION - 44.219 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 31 Pass - 6 Fail - 1 Skip - 24 |  |
| / 12:34:10.459 PM // 12:34:54.678 PM / | | | | | |


(S)- Create format master and Data matching Rules for a specific Bank and Account Type

| | | | | |
|--|----------------------------|--|--|---|
| FAILED | DURATION - 44.212 s |  | Steps Total - 31 Pass - 6 Fail - 1 Skip - 24 |  |
| / 12:34:10.466 PM // 12:34:54.678 PM / | | | | |
| To create Bank Recon details | | | | |
| @KUBS_BRS_UAT_001_001_TC_001 @MultiAuth | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 25.374 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.919 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on Direction Left | PASSED | 0.845 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.340 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then Click on Bank Recon | PASSED | 0.227 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.372 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on Bank Recon format eye button | PASSED | 1.051 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.868 s |
| | screenshot | | |
| |  | | |
| 5 | Then Click on Inventory Maintenance Add button | PASSED | 0.821 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.584 s |
| | screenshot | | |
| |  | | |
| 6 | Then user update the Excel sheet testdata for BankRecon | PASSED | 0.028 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.328 s |
| | screenshot | | |
| |  | | |
| 7 | Then fill the Bank Reconciliation Format | FAILED | 4.690 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-autocomplete="list" type="text" autocorrect="off" autocapitalize="off" autocomplete="ae62e305e7d9"> is not clickable at point (1094, 393). Other element would receive the | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4387c169e1906721ceaf4a9ed96e43f, clickElement {id=29b1349b-e449-4ba3-918b-200aeaa19bb5}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:51331}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51331/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f4387c169e1906721ceaf4a9ed96e43f)] -> xpath: //ion-row[1]/ion-col[9]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: f4387c169e1906721ceaf4a9ed96e43f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BankRecons.fill_the_bank_reconciliation_format(BankRecons.java:141) at ?.fill the Bank Reconciliation Format(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:11) * Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.379 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| |  | | |
| 8 | Then fill the Bank Reconciliation Placeholder | SKIPPED | 0.000 s |
| 9 | Then Click on Inventory Item Save button | SKIPPED | 0.002 s |
| 10 | Then Click on Inventory Maintenance Add button | SKIPPED | 0.000 s |
| 11 | Then user update the Excel sheet testdata for BankRecon | SKIPPED | 0.000 s |
| 12 | Then File Data matching rule | SKIPPED | 0.000 s |
| 13 | Then Click on Inventory Item Save button | SKIPPED | 0.000 s |
| 14 | Then click back button | SKIPPED | 0.000 s |
| 15 | Then Click on Inventory Maintenance Add button | SKIPPED | 0.000 s |
| 16 | Then user update the Excel sheet testdata for BankRecon | SKIPPED | 0.000 s |
| 17 | Then File Transaction Data matching rule | SKIPPED | 0.000 s |
| 18 | Then Click on Inventory Item Save button | SKIPPED | 0.000 s |
| 19 | Then click back button | SKIPPED | 0.000 s |
| 20 | Then Click on Inventory Maintenance Add button | SKIPPED | 0.036 s |
| 21 | Then user update the Excel sheet testdata for BankRecon | SKIPPED | 0.000 s |
| 22 | Then File Deposit Data matching rule | SKIPPED | 0.006 s |
| 23 | Then Click on Inventory Item Save button | SKIPPED | 0.000 s |
| 24 | Then click back button | SKIPPED | 0.004 s |
| 25 | Then Click on Inventory Maintenance Add button | SKIPPED | 0.000 s |
| 26 | Then user update the Excel sheet testdata for BankRecon | SKIPPED | 0.000 s |
| 27 | Then File Withdrawals Data matching rule | SKIPPED | 0.000 s |
| 28 | Then Click on Inventory Item Save button | SKIPPED | 0.000 s |
| 29 | Then Click on Inventory Item Notification | SKIPPED | 0.005 s |
| 30 | And Select and Submit the record | SKIPPED | 0.000 s |
| 31 | Then logout from maker | SKIPPED | 0.009 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

AZENTIO
ONEBanking

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Amlock

Configuration

Corporate

Finance

LOS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

AZENTIO
ONEBanking

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configuration

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Petty cash configuration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the date '20-Nov-2022', language 'English', software version 'Azentio Software', user '(AZENTMAIN)', and a profile icon for 'ANANT'. The left sidebar menu is expanded, showing various configuration options under the 'Finance' category. The 'Recon format' option is highlighted with a checkmark icon. The main content area is currently blank.

| Configuration Option | Status |
|-------------------------------|--------|
| Business partner setup | |
| General ledger configuration | |
| Accounting setup | |
| Expense/AR & AP configuration | |
| Budget configuration | |
| Fixed assets configuration | |
| Inventory maintenance | |
| Bank recon | |
| Recon format | ✓ |
| Petty cash configuration | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

The screenshot shows the AZENTIO ONEBanking application interface, specifically the 'Bank Format Master List View'. The top navigation bar is the same as the previous screenshot. The left sidebar menu is expanded, and the 'Recon format' option is highlighted. The main content area displays a table with the following data:

| Actions | Bank Name | Applicable Account Ty | Upload File Extension | Status | Created By | Created Date | Modified By | Modified Date | Auth By | Auth Date |
|---------|---------------------|-----------------------|-----------------------|--------|------------|--------------|-------------|---------------|---------|-------------|
| | Bank Of India | SAVINGS ACCOUNT | CSV | Active | 1002435 | 04-Jan-2023 | | | 1002437 | 04-Jan-2023 |
| | YES BANK | SAVINGS ACCOUNT | CSV | Active | 1002435 | 26-Oct-2022 | 1002435 | 01-Nov-2022 | 1002437 | 01-Nov-2022 |
| | ICICIBANK | SAVINGS ACCOUNT | Text | Active | 1002435 | 26-Oct-2022 | | | 1002437 | 26-Oct-2022 |
| | HDFC BANK | CURRENT ACCOUNT | CSV | Active | 1002435 | 30-Sep-2022 | | | 1002437 | 30-Sep-2022 |
| | HDFC BANK | CURRENT ACCOUNT | Text | Active | 1002435 | 30-Sep-2022 | 1002435 | 30-Sep-2022 | 1002437 | 30-Sep-2022 |
| | STATE BANK OF INDIA | CURRENT ACCOUNT | Text | Active | 1002435 | 30-Sep-2022 | | | 1002437 | 30-Sep-2022 |
| Total | | | | | | | | | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

AZENTIO ONEBanking

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Format Master List View

| Actions | Bank Name | Applicable Account Type | Upload File Extension | Status | Created By | Created Date | Modified By | Modified Date | Auth By | Auth Date |
|---------|---------------------|-------------------------|-----------------------|--------|------------|--------------|-------------|---------------|---------|-------------|
| | Bank Of India | SAVINGS ACCOUNT | CSV | Active | 1002435 | 04-Jan-2023 | | | 1002437 | 04-Jan-2023 |
| | YES BANK | SAVINGS ACCOUNT | CSV | Active | 1002435 | 26-Oct-2022 | 1002435 | 01-Nov-2022 | 1002437 | 01-Nov-2022 |
| | ICICIBANK | SAVINGS ACCOUNT | Text | Active | 1002435 | 26-Oct-2022 | | | 1002437 | 26-Oct-2022 |
| | HDFC BANK | CURRENT ACCOUNT | CSV | Active | 1002435 | 30-Sep-2022 | | | 1002437 | 30-Sep-2022 |
| | HDFC BANK | CURRENT ACCOUNT | Text | Active | 1002435 | 30-Sep-2022 | 1002435 | 30-Sep-2022 | 1002437 | 30-Sep-2022 |
| | STATE BANK OF INDIA | CURRENT ACCOUNT | Text | Active | 1002435 | 30-Sep-2022 | | | 1002437 | 30-Sep-2022 |

6 total

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

AZENTIO ONEBanking

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Reconciliation Format Master

Bank Reconciliation Format

* Bank Name * Applicable Account Type * Upload File Extension

* Separator * Allow unadjust entry from Bank statement Effective Date

Format Status * Allow Value Date Uplo Summery Lines To Be Skipped *

ACTIVE

File Name Prefix *

Bank Reconciliation Placeholder

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

The screenshot displays the 'Bank Reconciliation Format Master' configuration page in the AZENTIO ONEBanking system. The left sidebar lists various setup categories, with 'Bank recon' and 'Recon format' highlighted. The main content area is a form for defining a bank reconciliation format. It includes fields for 'Bank Name' (Bank Of India), 'Applicable Account Type' (SAVINGS ACCOUNT), 'Upload File Extension' (Text), 'Separator' (Fixed Length), 'Allow unadjust entry from Bank statement' (NO), 'Effective Date' (04-Jan-2023), 'Format Status' (ACTIVE), 'Allow Value Date Upto', and 'File Name Prefix'. A calendar widget is open, showing the date 04-Jan-2023. The bottom status bar indicates 22 Approvals and 11 Messages.

| * Bank Name | * Applicable Account Type | * Upload File Extension |
|---------------|---------------------------|-------------------------|
| Bank Of India | SAVINGS ACCOUNT | Text |

| * Separator | * Allow unadjust entry from Bank statement | Effective Date |
|--------------|--|----------------|
| Fixed Length | NO | 04-Jan-2023 |

| Format Status | * Allow Value Date Upto |
|---------------|-------------------------|
| ACTIVE | |

File Name Prefix *