Cucumber Report

Start : Mar 31, 12:49:04.825 pm	End : Mar 31, 12:49:27.189 pm	Duration : 22.364 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 25

1

1

29

Pass % 0 %

Pass % 0 %

Pass % 10 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	1	0	1	0	22.364 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	Create reimbursement for vouchers received	29	3	1	25	22.358 s

(F)- Check the Functionality of Petty cash

FAILED	DURATION - 22.364 s	Scenarios		Steps	
		Total - 1		Total - 29	
/ 12:49:04.825 pm // 12:49:27.189 pm /		Pass - 0	1	Pass - 3	29
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 25	

(S)- Create reimbursement for vouchers received

FAILED	DURATION - 22.358 s		Steps	
			Total - 29	
/ 12:49:04.831 pm // 12:49:27.189 pm /			Pass - 3	29
Check the Functionality of Petty cash			Fail - 1	
@KUBS_PC_UAT_003			Skip - 25	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.886 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And Click on Petty cash module	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
4	Then Click on Reimbursement Eye Icon	FAILED	0.099 s

	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/17']] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/17']]' is not a valid XPath expression. (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2647c04c10f21953a8f2a9ebd958ab04, findElement {using=xpath, value=//ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/17']]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65128}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65128/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2647c04c10f21953a8f2a9ebd958ab04
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49) at stepdefinitions.Petty_Cash.click_on_reimbursement_eye_icon(Petty_Cash.java:264) at ?.Click on Reimbursement Eye Icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/Petty_Cash.feature:125) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.138 s
5	Then Click on Add Icon in Petty cash	SKIPPED	0.001 s
6	And Choose Cash Memo Ref number	SKIPPED	0.000 s
7	Then Enter Advance Amount value	SKIPPED	0.000 s
8	And Choose Expense Code	SKIPPED	0.001 s
9	Then Enter Reimbursement Amount	SKIPPED	0.000 s
10	And Enter Reimbursement Remarks	SKIPPED	0.000 s
11	Then save Record in Petty cash	SKIPPED	0.000 s
12	Then Goto The Notification Icon	SKIPPED	0.000 s
13	And Store the Referance Id and Open the Record	SKIPPED	0.001 s
14	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	Given Navigate as a Reviewer	SKIPPED	0.000 s
16	Then click on Notify icon	SKIPPED	0.000 s
17	And Click First record Action icon	SKIPPED	0.001 s
18	Then Approve the record in Reviewer	SKIPPED	0.000 s
19	And Give Remark and Submit	SKIPPED	0.000 s
20	Given Navigate as a Reviewer	SKIPPED	0.000 s
21	Then click on Notify icon	SKIPPED	0.000 s
22	And Click First record Action icon	SKIPPED	0.000 s
23	Then Approve the record in ReviewerStage	SKIPPED	0.000 s
24	And Give Remark and Submit	SKIPPED	0.000 s
25	Given Navigate The Azentio Url	SKIPPED	0.001 s
26	Then Choose the second Tab Segment	SKIPPED	0.000 s
27	And Click on Petty cash module	SKIPPED	0.000 s
28	Then Click on Fund Request Eye Icon	SKIPPED	0.000 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers
received

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta)	09-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 ANANT

Finance

Welcome, anant

🔧   🚏   📋

⊘ Business partner setup
⊘ General ledger configuration
⊘ Accounting setup
⊘ Expense/AR & AP configurati...
⊘ Budget configuration
⊘ Fixed assets configuration
⊘ Inventory maintenance
⊘ Bank recon
⊘ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers
received

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta)	09-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 ANANT

Finance

Welcome, anant

🔧   🚏   📋

⊘ General ledger transaction
⊘ Budget
⊘ Accounts payable
⊘ Adjustments (AR and AP)
⊘ Accounts receivable
⊘ Fixed assets
⊘ Inventory management
⊘ Petty cash
⊘ Bank recon

22 Appro... ✕   11 Messa... ✕

⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash