Cucumber Report

| Start : Jan 12, 4:02:55.874 PM	End : Jan 12, 4:03:27.596 PM	Duration : 31.722 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	31.722 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify reviewer can able to reject the budget code which is submitted by maker	23	20	1	2	31.715 s

(F)- To check BudgetDefinition moduel feature

| FAILED	DURATION - 31.722 s	Scenarios		Steps	
		Total - 1		Total - 23	
/ 4:02:55.874 PM // 4:03:27.596 PM /		Pass - 0	1	Pass - 20	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- To verify reviewer can able to reject the budget code which is submitted by maker

FAILED	DURATION - 31.715 s		Steps	
			Total - 23	
/ 4:02:55.881 PM // 4:03:27.596 PM /			Pass - 20	23
To check BudgetDefinition moduel feature			Fail - 1	
@Multiauth_reviewer_rejectBudgetCode			Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		
4	And click on add icon	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
5	Then enter budget code	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
6	And enter budget type	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And enter warning percentage	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
8	And enter budget name	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
9	Then give remark	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
10	Then click on save button	PASSED	3.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Click on notification icon	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
12	And select the first record	PASSED	0.729 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
13	Then click on submit button	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
14	And enter remark in alert tab	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on submit	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
16	When click on submit button save the reviewer id	PASSED	0.608 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
17	Given navigate to URL and login as a reviewer	PASSED	7.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
18	Then click on notification icon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
20	And click on action button	PASSED	0.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
21	Then verify the budget record is matched with maker submited record	FAILED	0.077 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c830932a632dadf9a6db2c517024ab0, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51099}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51099/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5c830932a632dadf9a6db2c517024ab0
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.KUBS_reviewer.verify_the_budget_record_is_matched_with_maker_submited_record(KUBS_reviewer.java:82) at ?.verify the budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:166) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.203 s
22	And reject the record in reviewer stage	SKIPPED	0.000 s
23	Then enter remark then submit in reviewer stage	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify reviewer can able to reject the budget code which is submitted by maker (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify reviewer can able to reject the budget code which is submitted by maker (F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

Kastle Universal Banking
21-Oct-2021 English   (AZENT-MAIN) SARVESH
No Module Mapped
Welcome, SARVESH
22 Appro...   11 Messa...
Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

Kastle Universal Banking
21-Oct-2021 English   (AZENT-MAIN) SARVESH
No Module Mapped
← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc	createdDate	workflowCode
	391		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT
	388		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT
	385		BUDGET_REGISTER	REVIEWER	REVIEWER	12345		Budget Defination	LIMIT
	100		JV_EVENT	REVIEWER	REVIEWER	12345			LIMIT
	61		LEGAL_ENTITY_GL_CO	MAKER	MAKER	12345			Legal entity w

6 total |◄ < 1 2 > ►|
22 Appro...   11 Messa...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature

☰ 🌐 Kastle Universal Banking   21-Oct-2021   English ▾   ▾   (AZENT-MAIN) 🔔 💻 👤 SARVESH

No Module Mapped

←   Budget Definition   ⓘ ViewSummary   ✅ Approve   🔄 Return   ❌ Reject

🔧   🚥   📋

* Budget Code   * Budget Type   * Warning Percentage
BUDG4001   YEARLY   ✕ ▾   20

* Budget Name   ⊕   Remark   Status
Test   Ok   ACTIVE   ✕ ▾

22 Appro... ✕   11 Messa... ✕   ⠿ Home   ➤ Preference