Cucumber Report

Feb 8, 2022, 4:47:21 AM

Start : Feb 08, 4:45:58.047 AM	End : Feb 08, 4:47:18.557 AM	Duration : 1 m 20.510 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 21 FAILED - 0 SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	INVENTORY MANAGEMENT	1	1	0	0	1 m 20.510 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MANAGEMENT	Purchase	21	21	0	0	1 m 20.505 s

(F)- INVENTORY MANAGEMENT

PASSED	DURATION - 1 m 20.510 s	Scenarios		Steps	
/ 4:45:58.047 AM // 4:47:18.557 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 21 Pass - 21 Fail - 0 Skip - 0	

(S)- Purchase

PASSED	DURATION - 1 m 20.505 s		Steps	
/ 4:45:58.052 AM // 4:47:18.557 AM /			Total - 21 Pass - 21 Fail - 0 Skip - 0	
INVENTORY MANAGEMENT				
@PurchseReqConf_KUBS_INV_MGMT_UAT_001-_002				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	11.948 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.714 s
	screenshot 		
2	And user should navigate to inventory management	PASSED	0.664 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of purchase requisition confirmation	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.777 s
	screenshot		
			
4	And click on add button of purchase requisition confirmation	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.485 s
	screenshot		
			
5	And Fill the required fields to purchase req	PASSED	0.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			
6	Then Save and submit the purchase req confirmation	PASSED	7.424 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And User should go to the kubs url and login as a reviewer user	PASSED	10.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
			
8	Then Click on notification button in reviewer	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshot		
			
9	And approve the record by reviewer user	PASSED	3.938 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
			
10	Given User should go to the kubs url and login as a checker user	PASSED	8.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And Click on security management in checker	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
			
12	Then Click on open pool in checker	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
13	And Click on claim button in checker	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
14	And capture claimed status	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then click on notification in checker	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		
			
16	Then checker should approved the contract record	PASSED	6.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
17	Given User should go to the kubs url and login as a maker user	PASSED	8.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.640 s
	screenshot		
			
18	And user should navigate to inventory management	PASSED	0.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	When click on eye button of purchase requisition confirmation	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
			
20	Then click on first eye button to get the indent reference number	PASSED	2.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
			
21	And maker should logout	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Purchase (F) INVENTORY MANAGEMENT	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Purchase (F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT