

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Check Budget Request and Allocation feature module | 1 | 1 | 0 | 0 | 17.709 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|--|----|----|---|---|----------|
| 1 | Check Budget Request and Allocation | System Should follow the flow as Search criteria | 10 | 10 | 0 | 0 | 17.701 s |
| | feature module | | | | | | |

DETAILED SECTION

(F)- Check Budget Request and Allocation feature module

| PASSED | DURATION - 17.709 s | Scenarios | | Steps | |
|------------------|---------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 10 | |
| / 7:04:02.605 am | // 7:04:20.314 am / | Pass - 1 | 1 | Pass - 10 | 10 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- System Should follow the flow as Search criteria

| PASSED DURATION - 17.701 s | 10 - | - | - | | · | | | | | | | | Steps | | |
|--|-------------------|---|---|--|--------------------------------------|---|---|---|------|---|---|----------------|-----------------------|----|---|
| / 7:04:02.613 am // 7:04:20.314 am / | 8 - | ╂ | ŀ | ‡ | ÷ | | | | | | | | Total - 10 | | |
| Check Budget Request and Allocation feature module | 6 - 4 - 2 - | | | <u> </u> | - - | | | | | | | - | Pass - 10 Fail - 0 | 10 |) |
| @KUBS_SEARCH_CRITERIA_MODIFICATION BP_BC_19_01 | 0 - | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | Skip - 0 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate the Azentio Url Maker | PASSED | 10.857 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.475 s |
| | screenshot | | |
| | # \$ 1000 lgan - 10 | | |
| 2 | Then Click Transfer icon button Maker | PASSED | 0.305 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.241 s |
| | screenshot | | |


| 3 And Click to Budget module in Maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.223 s | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.190 s 0.223 s | | | | |
| screenshot 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.305 s 0.223 s | 3 | And Click to Budget module in Maker | PASSED | 0.109 s |
| 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The Click Budget module Budget Request and Allocation Edit Icon PASSED 0.305 s 0.223 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.190 s |
| 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ################################### | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### Company of the Company of t | | Name o Na | | |
| Screenshot # © | 4 | Then Click Budget module Budget Request and Allocation Edit Icon | PASSED | 0.305 s |
| Comparison Com | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.223 s |
| | | screenshot | | |
| 5 And Click search icon PASSED 0.094 s | | | | |
| | 5 | And Click search icon | PASSED | 0.094 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| screenshot | | screenshot | | |
| | | The production The | | |
| 6 Then Enter the search code PASSED 0.188 s | 6 | Then Enter the search code | PASSED | 0.188 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.136 s |
| | 1 | screenshot | | |


| 7 And Click action button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then Capture the code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.430 s 0.275 s 0.275 s 0.181 s |
|--|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 Then Capture the code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.275 s 0.275 s |
| 8 Then Capture the code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED |
| 8 Then Capture the code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The Capture the code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.181 s |
| 8 Then Capture the code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The Capture the code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.181 s |
| Screenshot |
| Total Tota |
| DASSED 0.247 c |
| 9 And would the Code 0.347 S |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s |
| screenshot |
| # On the control of t |
| 10 And After modify click save button PASSED 0.085 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.133 s |
| |

DETAILED SECTION -- 7 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | PRINCE Space Section 20 TO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |

EXPANDED SECTION -- 8 --






EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

