


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	0	1	0	2 m 0.685 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Budget Transfer	To verify the impact if checker2 user select, view and	22	8	1	13	2 m 0.660 s
		approve the Budget Transfer record by maker					

DETAILED SECTION -- 4 --

## (F)- Budget Transfer

FAILED	DURATION - 2 m 0.685 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 7:02:26.026 A	M // 7:04:26.711 AM /	Pass - 0	1	Pass - 8	22
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 13	

## (S)- To verify the impact if checker2 user select, view and approve the Budget Transfer record by maker




#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as maker user	PASSED	27.604 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.313 s
	screenshot		
	PRINCE LIGHT COMMINGER CONTINUE OF BUILDINGS AND		
2	Then select budget menu	PASSED	2.704 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
	screenshot		


3 And click on the eye icon of budget transfer sub menu PASSED 1.276 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.875 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.288 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.640 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  screenshot  4 Then click on add button to create record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  screenshot  5 And fill the required field  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  screenshot  4 Then click on add button to create record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  5 And fill the required field  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  5 And fill the required field  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  PASSED  7.695 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  PASSED  7.695 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  PASSED  7.695 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber. java. Scenario)  PASSED  7.695 s		West		
screenshot  4 Then click on add button to create record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  5 And fill the required field  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED  0.240 s  4 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED  7.695 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED  7.695 s	3	And click on the eye icon of budget transfer sub menu	PASSED	1.276 s
4 Then click on add button to create record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 7.695 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.194 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.875 s
4 Then click on add button to create record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.695 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  D. 640 s		Pubble   P		
screenshot  5 And fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.695 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.695 s	4	Then click on add button to create record	PASSED	0.289 s
5 And fill the required field PASSED 3.040 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 7.695 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.194 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.640 s
5 And fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.695 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.695 s  0.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.695 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.095 s  Output  Outpu		# Continuements  # Cont		
Screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s	5	And fill the required field	PASSED	3.040 s
6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s		9		
	6	Then save and submit by maker to transfer	PASSED	7.695 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
		screenshot		

#	Step / Hook Details	Status	Duration
	# Option   Page   Page		
7	And Navigate to Url and login as a reviewer	PASSED	0.042 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
	## OF CONTRACTOR		
8	Then Click on Notification button	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
9	And validate the data submitted by maker to checker1	FAILED	2.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'540')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/div/ion-buttons/ion-buttons"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a681b0d773c9dff1f5c97ceb799068f3, findElement {using=xpath, value=//span[contains(text(),'540')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/div/ion-buttons/ion-buttons]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52798}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52798/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a681b0d773c9dff1f5c97ceb799068f3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.BUDGET_BudgetTransfer.validate_the_data_submitted_by_maker_to_checker1(BUDGET_BudgetTransfer.java:246) at ?validate the data submitted by maker to checker1(file:///C:/Users/inindc00091/git/AzentioAutomationFramework/MasterNew/ AzentioAutomationFramework/src/test/java/features/BUDGET_BudgetTransfer.feature:52) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
	# O AND ADDRESS AN		
10	Then approve the record by reviewer	SKIPPED	0.001 s
11	And reviewer user logout	SKIPPED	0.000 s
12	Given Navigate to Url and login as a Checker	SKIPPED	0.001 s
13	Then Click the Notification icon	SKIPPED	0.000 s
14	And Click on security management	SKIPPED	0.000 s
15	Then Click on open pool	SKIPPED	0.000 s
16	And Click on claim button	SKIPPED	0.000 s
17	And claimed status	SKIPPED	0.000 s
18	Then click on notification	SKIPPED	0.000 s
19	Then checker should approved the record	SKIPPED	0.000 s
20	And system should show the prompt message for verification	SKIPPED	0.001 s
21	Then the record gets added into the system	SKIPPED	0.000 s

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

