

# Cucumber Report

Feb 3, 2022, 2:12:53 AM

Start : Feb 03, 2:10:58.874 AM

End : Feb 03, 2:12:43.509 AM

Duration : 1 m 44.635 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	1 m 44.635 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Bill(invoice) Booking	6	0	1	5	1 m 44.628 s


**(F)- ACCOUNTS PAYABLE**

<b>FAILED</b>	<b>DURATION - 1 m 44.635 s</b>	Scenarios		Steps	
/ 2:10:58.874 AM // 2:12:43.509 AM /		Total - 1	1	Total - 6	6
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

**(S)- Bill(invoice) Booking**

<div>FAILED</div> <div>DURATION - 1 m 44.628 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
<div>/ 2:10:58.881 AM // 2:12:43.509 AM /</div>				
<div>ACCOUNTS PAYABLE</div>				
<div>@KUBS_INV_MGMT_UAT_001_005</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <p>org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=96.0.4664.45)            Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4ec9d50b69c65dcd152f7f0eb4159f0, clickElement {id=5c61def4-8aab-4b30-a22f-e9d28aec9d59}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-win-1024\chrome-win\chrome\userDataDir\Default Content\Quota\chrome-quota-0\chrome-quota-0}, goog:chromeOptions: {debuggerAddress: localhost:62798}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62798/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f4ec9d50b69c65dcd152f7f0eb4159f0)] -&gt; xpath: //ion-item[2]/ion-radio] Session ID: f4ec9d50b69c65dcd152f7f0eb4159f0            at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)            at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)            at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>	<b>FAILED</b>	44.375 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:47)   at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/ java/features/ACCOUNTSPAYABLE_VendorContracts.feature:29) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.254 s
2	And user should navigate to accounts payable menu	SKIPPED	0.001 s
3	When click on eye button of invoice booking	SKIPPED	0.001 s
4	And click on add button for invoice booking	SKIPPED	0.000 s
5	And Fill the required fields for invoice booking	SKIPPED	0.001 s
6	Then Save and submit the invoice billing	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

