

# Cucumber Report

Mar 5, 2022, 7:45:52 AM

Start : Mar 05, 7:44:28.720 AM

End : Mar 05, 7:45:43.136 AM

Duration : 1 m 14.416 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 14.416 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	21	4	1	16	1 m 14.410 s




**(F)- AR/AP Module**

<b>FAILED</b>	<b>DURATION - 1 m 14.416 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 4 Fail - 1 Skip - 16	
/ 7:44:28.720 AM // 7:45:43.136 AM /					

**(S)- Create a contract for an active vendor with expense type Purchases**

<div>FAILED</div> <div>DURATION - 1 m 14.410 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 7:44:28.726 AM // 7:45:43.136 AM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_001_001_TC_001</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	26.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.213 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	1.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of vendor contract	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.895 s
	screenshot 		
4	And click on add button to create contract	PASSED	0.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.658 s
	screenshot 		
5	And Fill the required fields to create contract	FAILED	18.534 s
	<pre> java.lang.NullPointerException: Cannot invoke "java.lang.Boolean.booleanValue()" because "value" is null     at org.openqa.selenium.remote.RemoteWebElement.isEnabled(RemoteWebElement.java:193)     at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)     at jdk.proxy2/jdk.proxy2.\$Proxy46.isEnabled(Unknown Source)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditionss.java:662)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditionss.java:656)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)     at helper.WaitHelper.waitForElement(WaitHelper.java:79)     at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:236)     at ?.Fill the required fields to create contract(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ ArAp_VendorContract.feature:10)           </pre>		


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [079be2a053d1878e6d38579b7ce14f4e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58239}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58239/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 079be2a053d1878e6d38579b7ce14f4e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
6	Then Save and submit the creation contract record	SKIPPED	0.001 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.001 s
12	Then Click on open pool in checker	SKIPPED	0.119 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the contract record	SKIPPED	0.001 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	And user should navigate to accounts payable menu	SKIPPED	0.000 s
19	When click on eye button of vendor contract	SKIPPED	0.001 s
20	Then Get the contract and Txn status by searching the record via business partner	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.122 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [079be2a053d1878e6d38579b7ce14f4e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58239}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58239/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 079be2a053d1878e6d38579b7ce14f4e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

















(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Contract Creation View

Actions	Branch Code - Name	Contract Number	Contract Description	Contract Type	Business Partner	Txn Date	Contract Status
 	AZENTMAIN - Azentio N	Agency-15-8-0503202 D-1001		Expense Contract	DELUXE 001	05-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-8-124-040320 dsad		Purchases Contract	Bonton Agency	04-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-8-123-040320 DSAD		Purchases Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio N	Agency-8-122-040320 NEW-07		Expense Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio N	Agency-8-121-040320 Purchase Contract		Purchases Contract	Bonton Agency	04-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-8-120-040320 dws		Purchases Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio N	Agency-15-7-0303202 DS0303		Purchases Contract	DELUXE 001	03-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-15-6-0303202 bb-d		Purchases Contract	DELUXE 001	03-Mar-2022	CLOSED

224 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

















(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Contract Creation View

Actions	Branch Code - Name	Contract Number	Contract Description	Contract Type	Business Partner	Txn Date	Contract Status
 	AZENTMAIN - Azentio N	Agency-15-8-0503202 D-1001		Expense Contract	DELUXE 001	05-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-8-124-040320 dsad		Purchases Contract	Bonton Agency	04-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-8-123-040320 DSAD		Purchases Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio N	Agency-8-122-040320 NEW-07		Expense Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio N	Agency-8-121-040320 Purchase Contract		Purchases Contract	Bonton Agency	04-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-8-120-040320 dws		Purchases Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio N	Agency-15-7-0303202 DS0303		Purchases Contract	DELUXE 001	03-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio N	Agency-15-6-0303202 bb-d		Purchases Contract	DELUXE 001	03-Mar-2022	CLOSED

224 total

22 Appro... 11 Messa...

Home Preference