Cucumber Report

| Start : Mar 01, 10:50:51.684 PM	End : Mar 01, 10:52:11.866 PM	Duration : 1 m 20.182 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 23 FAILED - 1 SKIPPED - 9

1

1

33

Pass %

0 %

0 %

69 %

#	Feature Name	T	P	F	S	Duration
1	*Checking the Acount Payable GRN functionality*	1	0	1	0	1 m 20.182 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.	33	23	1	9	1 m 20.179 s

## **(F)- Checking the Acount Payable GRN functionality**

| FAILED	DURATION - 1 m 20.182 s	Scenarios		Steps	
		Total - 1		Total - 33	
/ 10:50:51.684 PM // 10:52:11.866 PM /		Pass - 0	1	Pass - 23	33
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## **(S)- Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.**

FAILED	DURATION - 1 m 20.179 s		Steps	
/ 10:50:51.687 PM // 10:52:11.866 PM /			Total - 33	
Checking the Acount Payable GRN functionality			Pass - 23	33
@MultiAuth @KUBS_AR/AP_UAT_001_004_TC_04			Fail - 1 Skip - 9	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.615 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
	+		
2	Then Click on Direction icon	PASSED	2.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Account Payable	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
4	Then Click on GRN Eye button	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		
5	Then Click on purchase order Add button	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
6	Then Fill the form for GRN	PASSED	1.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
8	Then Click on Account Payable Notification	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
9	Then Select the record from Notification	PASSED	0.834 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
10	Then Click on item Details tab	PASSED	2.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Select PO Number which is created with expense code mapped with inventory code	PASSED	2.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
12	Then Add qty received qty approved	PASSED	2.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	screenshot		
13	Then Click on item Details Save button	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
14	Then Click on Account Payable Notification	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Select the record from Notification	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
16	And Submit the record with Remark	PASSED	10.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
17	Then log in to the reviewer account	PASSED	5.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.082 s
	screenshot		
18	Then click on the Notification Approve the record	PASSED	5.629 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then log in to the Checker Account	PASSED	4.932 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.071 s
	screenshot 		
20	And then checker claim the record	PASSED	1.855 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot 		
21	Then click on the checker Notification	PASSED	1.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot 		
22	And select the record and Approve add remark by checker	PASSED	11.965 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
23	Given Maker Navigate to UAT URL login	PASSED	5.952 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.162 s
24	Then Click on Direction icon	FAILED	3.080 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-segment-button value="txn_bnk" layout="icon-top" ng-reflect-value="txn_bnk" ng-reflect-layout="icon-top" class="md in-segment in-segment-color segment-button-has-icon segment-button-has-icon-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated">...</ion-segment-button> is not clickable at point (134, 127). Other element would receive the click: <ion-radio class="sc-ion-select-popover md in-item interactive radio-checked hydrated" role="radio" aria-checked="true" aria-labelledby="ion-rb-0-lbl"></ion-radio> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5769dc169301b7fdea723f380640d0de, clickElement {id=2446d4be-b7fe-4e02-aad9-5fa46bb8396b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50632}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50632/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5769dc169301b7fdea723f380640d0de)] -> xpath: //ion-segment/ion-segment-button[2]] Session ID: 5769dc169301b7fdea723f380640d0de
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.AccountPayable_VendorPurchaseOrder.click_on_direction_icon(AccountPayable_VendorPurchaseOrder.java:62) at ?.Click on Direction icon(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_Grn.feature:64) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.084 s
25	Then Click on Account Payable	SKIPPED	0.000 s
26	Then Click on GRN Eye button	SKIPPED	0.001 s
27	Then select GRN refernce	SKIPPED	0.000 s
28	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
29	Then Click on Direction icon	SKIPPED	0.000 s
30	Then Click on Inventory Management	SKIPPED	0.000 s
31	Then Click on inventory stock receipt Eye Icon	SKIPPED	0.000 s
32	Then Click on inventory stock Add button	SKIPPED	0.000 s
33	Then enter GRN reference check details auto populated	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference. (F) Checking the Acount Payable GRN functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference. (F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference. (F) Checking the Acount Payable GRN functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference. (F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify details are auto populated on
Inventory Stock Receipt Confirmation post
entering GRN reference.

(F) Checking the Acount Payable GRN
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify details are auto populated on
Inventory Stock Receipt Confirmation post
entering GRN reference.

(F) Checking the Acount Payable GRN
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

(F) Checking the Acount Payable GRN functionality

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.	
(F) Checking the Acount Payable GRN functionality	