# Cucumber Report

| *Start : Feb 03, 5:23:18.172 AM* | *End : Feb 03, 5:25:16.511 AM* | *Duration : 1 m 58.339 s* |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 5<br>FAILED - 1<br>SKIPPED - 12 |

1

1

18

Pass % 0 %

Pass % 0 %

Pass % 27 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | ACCOUNTS PAYABLE | 1 | 0 | 1 | 0 | 1 m 58.339 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | ACCOUNTS PAYABLE | Bill(invoice) Booking | 18 | 5 | 1 | 12 | 1 m 58.330 s |

## (F)- ACCOUNTS PAYABLE

| FAILED | DURATION - 1 m 58.339 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 5:23:18.172 AM // 5:25:16.511 AM / | | Total - 1 | | Total - 18 | |
| | | Pass - 0 | | Pass - 5 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 12 | |

## (S)- Bill(invoice) Booking

| FAILED | DURATION - 1 m 58.330 s | | Steps | |
|---|---|---|---|---|
| / 5:23:18.181 AM // 5:25:16.511 AM / | | | Total - 18 | |
| ACCOUNTS PAYABLE | | | Pass - 5 | |
| | | | Fail - 1 | |
| @KUBS_INV_MGMT_UAT_001_005 | | | Skip - 12 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 26.286 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 6.057 s |
| | screenshot | | |
| | | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 1.526 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.095 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | When click on eye button of invoice booking | PASSED | 0.509 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.655 s |
| | screenshot | | |
| |  | | |
| 4 | And click on add button for invoice booking | PASSED | 0.769 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.619 s |
| | screenshot | | |
| |  | | |
| 5 | And Fill the required fields for invoice booking | PASSED | 6.469 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| | screenshot | | |
| |  | | |
| 6 | Then Save and submit the invoice billing | FAILED | 1.173 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-jtn-c508="" color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons _ngcontent-jtn-c508="" slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons>   (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [00a2c3e789f30aa51dd23643edc2247c, clickElement {id=a290a7ca-bf88-4e6f-a8c2-c804b735d589}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51925}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51925/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (00a2c3e789f30aa51dd23643edc2247c)] -> xpath: //page-ap-bill-booking-update/ion-header/ion-toolbar/ion-buttons[2]/ion-button] Session ID: 00a2c3e789f30aa51dd23643edc2247c<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>  at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>  at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking.save_and_submit_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.java:123)<br>  at ?.Save and submit the invoice billing(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ACCOUNTSPAYABLE_VendorContracts.feature:34)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.158 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 7 | And User should go to the kubs url and login as a reviewer user | SKIPPED | 0.000 s |
| 8 | Then Click on notification button in reviewer | SKIPPED | 0.000 s |
| 9 | And approve the record by reviewer user | SKIPPED | 0.000 s |
| 10 | Given User should go to the kubs url and login as a checker user | SKIPPED | 0.000 s |
| 11 | And Click on security management in checker | SKIPPED | 0.000 s |
| 12 | Then Click on open pool in checker | SKIPPED | 0.000 s |
| 13 | And Click on claim button in checker | SKIPPED | 0.000 s |
| 14 | And capture claimed status | SKIPPED | 0.000 s |
| 15 | Then click on notification in checker | SKIPPED | 0.001 s |
| 16 | Then checker should approved the contract record | SKIPPED | 0.000 s |
| 17 | And system should show the prompt message | SKIPPED | 0.000 s |
| 18 | And checker logout | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE