


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	50.649 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Accounts Payable Report post bill is approved.	16	15	1	0	50.643 s
	Module						

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 50.649 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 2:27:31.844	pm // 2:28:22.493 pm /	Pass - 0	1	Pass - 15	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Verify Accounts Payable Report post bill is approved.



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

3 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Open Invoice Bill Booking Eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  0.362 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Open Invoice Bill Booking Eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.197 s  0.208 s  0.208 s  0.362 s		On the proposation of the control of		
Screenshot  4 Then Open Invoice Bill Booking Eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.208 s  0.362 s	3	And Click On Main module Accounts payable	PASSED	0.126 s
4 Then Open Invoice Bill Booking Eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
4 Then Open Invoice Bill Booking Eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.208 s  0.362 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.362 s		© Yourset (a) 0 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot	4	Then Open Invoice Bill Booking Eye icon	PASSED	0.208 s
			PASSED	0.362 s
50 Mills		* O ANA-ANA-ANA-ANA-ANA-ANA-ANA-ANA-ANA-ANA	_	
5 And Click On Search Icon PASSED 0.201 s	5	And Click On Search Icon	PASSED	0.201 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
screenshot		screenshot		
# # # # # # # # # # # # # # # # # # #		Demonstration of the second se		
6 Then Give Invoice Number in Invoice Bill PASSED 0.231 s	6	Then Give Invoice Number in Invoice Bill	PASSED	0.231 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.185 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	I	screenshot		

7 Then Click on Table Row First Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  A AG Get Business Partner name in Invoice Bill  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.059 s  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.059 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  screenshot  And Get Business Partner name in Invoice Bill  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber java. Scenario)  screenshot  PASSED  O.679 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber java. Scenario)  PASSED  O.89 passed  O.49 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber java. Scenario)  PASSED  O.338 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber java. Scenario)  Screenshot  O.49 s  O.49 s				
screenshot  After Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.679 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.121 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.338 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumbe	7	Then Click on Table Row First Eye Icon	PASSED	0.113 s
8 And Get Business Partner name in Invoice Bill AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 And Click main module Reports AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AF		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
8 And Get Business Partner name in Invoice Bill AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Soreenshot  7 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Soreenshot  8 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addSc		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Click main module Reports  0.121 s  0.121 s  0.121 s  0.121 s  0.121 s		9 8 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
screenshot  Then Third Segment report Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Click main module Reports	8	And Get Business Partner name in Invoice Bill	PASSED	0.679 s
9 Then Third Segment report Icon PASSED 0.338 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
9 Then Third Segment report Icon PASSED 0.338 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  10 And Click main module Reports  PASSED 0.338 s  PASSED 0.171 s  PASSED 0.171 s  PASSED 0.059 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Click main module Reports  PASSED  0.171 s  0.171 s		* 10		
Screenshot  10 And Click main module Reports  PASSED 0.059 s	9	Then Third Segment report Icon	PASSED	0.338 s
10 And Click main module Reports  PASSED 0.059 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
10 And Click main module Reports PASSED 0.059 s		screenshot		
AFTER STEP - stepdefinitions. Hooks Class. add Screen shot (io. cucumber. java. Scenario)  PASSED 0.194 s	10	And Click main module Reports	PASSED	0.059 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click sub module Accounts Payable Report	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
	© **CONTINUES***   10.0 10 1 (page***   20.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
12	And Give Getted Business Partner Name	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*  **Tex_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.169 s
13	Then Give Current business Date	PASSED	1.021 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.147 s
14	And Give Accounts Payable Status	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		


#	Step / Hook Details	Status	Duration
	# Of the Contraction of the Con		
15	Then Click on View button	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.686 s
	screenshot	]	
16	And Verify the Accounts Payable Report is correctly displayed	FAILED	14.210 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [3bdae066d8d70e73dda66b2a95291e1d, findElement (using=xpath, value=/ldiv[contains(text(), INV-235-32022)])] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:Users\ININDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:49374/}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49374/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3bdae066d8d70e73dda66b2a95291e1d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Windelfer(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.serv		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. verify_the_accounts_payable_report_is_correctly_displayed(ARAP_AccountsReceivable_AccountsPayable.java:180) at ?.Verify the Accounts Payable Report is correctly displayed(file:///C:/Users/inindc00075/git/repository/ Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:39) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.164 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3bdae066d8d70e73dda66b2a95291e1d, screenshot {} [Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\NINDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49374}, javascriptEnablet: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: VINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49374/devtoo, se:cdp\version: 99.0.4844.51, set\WindowsPect: true, strictFielletteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3bdae066d8d70e73dda66b2a95291e1d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.cecateException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.cothec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecut		
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.241 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3bdae066d8d70e73dda66b2a95291e1d, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49374}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49374/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3bdae066d8d70e73dda66b2a95291e1d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

