

# Cucumber Report

Feb 14, 2022, 10:12:53 AM

*Start : Feb 14, 9:37:49.274 AM*

*End : Feb 14, 10:12:41.553 AM*

*Duration : 34 m 52.279 s*

*Features*


*Scenarios*

*Steps*

*PASSED - 0*  
*FAILED - 1*  
*SKIPPED - 0*


*PASSED - 0*  
*FAILED - 1*  
*SKIPPED - 0*

*PASSED - 4*  
*FAILED - 1*  
*SKIPPED - 11*







| # | Feature Name           | T | P | F | S | Duration      |
|---|------------------------|---|---|---|---|---------------|
| 1 | BUSINESS PARTNER SETUP | 1 | 0 | 1 | 0 | 34 m 52.279 s |






| # | Feature Name                  | Scenario Name  | T  | P | F | S  | Duration      |
|---|-------------------------------|--|----|---|---|----|---------------|
| 1 | <u>BUSINESS PARTNER SETUP</u> | <u>Create a Vendor for the procurement of an asset</u> | 16 | 4 | 1 | 11 | 34 m 52.272 s |




**(F)- BUSINESS PARTNER SETUP**

|                                       |                                 |  |   |  |   |
|---------------------------------------|---------------------------------|--|---|--|---|
| <b>FAILED</b>                         | <b>DURATION - 34 m 52.279 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 16<br>Pass - 4<br>Fail - 1<br>Skip - 11 |  |
| / 9:37:49.274 AM // 10:12:41.553 AM / |                                 |  |   |  |   |

**(S)- Create a Vendor for the procurement of an asset**

|                                       |                                 |  |  |   |
|---------------------------------------|---------------------------------|--|--|---|
| <b>FAILED</b>                         | <b>DURATION - 34 m 52.272 s</b> |  | Steps<br>Total - 16<br>Pass - 4<br>Fail - 1<br>Skip - 11 |  |
| / 9:37:49.281 AM // 10:12:41.553 AM / |                                 |  |  |   |
| BUSINESS PARTNER SETUP                |                                 |  |  |   |
| @KUBS_FAT_UAT_001_001                 |                                 |  |  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user                      | PASSED | 43.970 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 2.094 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And user should navigate to business partner setup menu                             | PASSED | 0.339 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.257 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details  | Status | Duration      |
|---|--|--------|---------------|
|   |   |        |               |
| 3 | When click on eye button of business partner   | PASSED | 0.829 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.565 s       |
|   | screenshot   |        |               |
|   |   |        |               |
| 4 | And click on add button of business partner  | PASSED | 0.484 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.656 s       |
|   | screenshot   |        |               |
|   |   |        |               |
| 5 | And Fill the required fields to create a vendor  | FAILED | 33 m 32.307 s |
|   | <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb62effd4bfcbee31d900c44efd9405a, findElement {using=xpath, value=//button[@aria-label='Previous month']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\LININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52069}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52069/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb62effd4bfcbee31d900c44efd9405a</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> |        |               |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.BUSINESS_PARTNER_SETUP_BusinessPartner. fill_the_required_fields_to_create_a_vendor(BUSINESS_PARTNER_SETUP_BusinessPartner.java:128)   at ?.Fill the required fields to create a vendor(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ BUSINESS_PARTNER_SETUP_BusinessPartner.feature:11) * Not displayable characters are replaced by '?'. </pre>  |        |          |
|   | <p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb62effd4bfcbee31d900c44efd9405a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L ..}, goog:chromeOptions: {debuggerAddress: localhost:52069}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52069/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb62effd4bfcbee31d900c44efd9405a   at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) </pre> | FAILED | 0.102 s  |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)   |         |          |
| 6  | Then Save and submit the record to create vendor  | SKIPPED | 0.001 s  |
| 7  | And User should go to the kubs url and login as a reviewer user   | SKIPPED | 0.000 s  |
| 8  | Then Click on notification button in reviewer   | SKIPPED | 0.000 s  |
| 9  | And approve the record by the reviewer user   | SKIPPED | 0.000 s  |
| 10 | Given User should go to the kubs url and login as a checker user  | SKIPPED | 0.000 s  |
| 11 | And Click on security management in checker   | SKIPPED | 0.000 s  |
| 12 | Then Click on open pool in checker  | SKIPPED | 0.000 s  |
| 13 | And Click on claim button in checker  | SKIPPED | 0.000 s  |
| 14 | And capture claimed status  | SKIPPED | 0.000 s  |
| 15 | Then click on notification in checker   | SKIPPED | 0.001 s  |
| 16 | Then checker should approved the contract record  | SKIPPED | 0.000 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)<br><br>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb62effd4bfcbee31d900c44efd9405a, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52069}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52069/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb62effd4bfcbee31d900c44efd9405a<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | FAILED  | 4.574 s  |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) |        |          |



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a Vendor for the procurement  
of an asset


(F) BUSINESS PARTNER SETUP



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a Vendor for the procurement  
of an asset

(F) BUSINESS PARTNER SETUP



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a Vendor for the procurement  
of an asset

(F) BUSINESS PARTNER SETUP

Business Partner View

| Actions | BP Code   | BP Name                   | BP Type    | BP Sub Type | Reference Number | Status    |
|---------|-----------|---------------------------|------------|-------------|------------------|-----------|
|         | VENDOR-25 | rakesh kumar 4            | Individual | VENDOR      | 1231             | Active    |
|         | VENDOR-24 | rakesh kumar1             | Individual | VENDOR      | 978              | Active    |
|         | VENDOR-23 | rakesh kumar              | Individual | VENDOR      |                  | Active    |
|         | VENDOR-22 | Shisankar Sivanand Lahari | Individual | VENDOR      | IN000209         | Active    |
|         | VENDOR-21 | Anant                     | Individual | VENDOR      |                  | In-Active |
|         | Agency-20 | Ravi                      | Corporate  | Agency      | 17               | Active    |
|         | Agency-19 | Gangeeta                  | Corporate  | Agency      | 12               | Active    |
|         | Dealer-18 | Indian Oil Corporation    | Corporate  | Dealer      | REF-001          | In-Active |

29 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a Vendor for the procurement  
of an asset

(F) BUSINESS PARTNER SETUP

Business Partner

BP Code BP Type BP Sub Type

Reference Type Reference Code No

Home Preference