Cucumber Report

Start : Mar 23, 2:40:21.583 pm	End : Mar 23, 2:40:49.048 pm	Duration : 27.465 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	*Check The Azentio UAT Budget Request and Allocation functionaliy*	1	1	0	0	27.465 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	budget for Budgetcode type Quaterly	13	13	0	0	27.459 s

(F)- Check The Azentio UAT Budget Request and Allocation functionaliy

PASSED	DURATION - 27.465 s	Scenarios		Steps	
/ 2:40:21.583 pm // 2:40:49.048 pm /		Total - 1		Total - 13	
		Pass - 1	**1**	Pass - 13	**13**
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- budget for Budgetcode type Quaterly

PASSED	DURATION - 27.459 s		Steps	
/ 2:40:21.589 pm // 2:40:49.048 pm /			Total - 13	
Check The Azentio UAT Budget Request and Allocation functionaliy			Pass - 13	**13**
@KUBS_UAT_Quarterly_KUBS_BP_UAT_002_0-02			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	13.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.372 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	1.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
5	And click on the Add icon in Request and Allocation	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
	screenshot		
6	Then select to Budget Code	PASSED	0.397 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select the Budget Year	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
8	Then click on the Branch	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
9	And select the one Branch	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
10	Then click on the Branch ok button	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
12	And Enter the Amount for Quarterly Budget type	PASSED	1.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
13	And click on the save button	PASSED	2.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) budget for Budgetcode type Quaterly (F) Check The Azentio UAT Budget Request and Allocation functionaliy	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) budget for Budgetcode type Quaterly (F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) budget for Budgetcode type Quaterly (F) Check The Azentio UAT Budget Request and Allocation functionaliy	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) budget for Budgetcode type Quaterly (F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy