
## Feb 8, 2022, 9:09:05 PM

## **Cucumber Report**




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	4 m 22.128 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Bill(invoice) Booking	21	12	1	8	4 m 22.120 s

DETAILED SECTION -- 4 -

## (F)- ACCOUNTS PAYABLE

FAILED	DURATION - 4 m 22.128 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 9:04:41.157 PN	M // 9:09:03.285 PM /	Pass - 0	1	Pass - 12	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

## (S)- Bill(invoice) Booking



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 11.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.851 s
	screenshot		
	The state of the s		
2	And user should navigate to accounts payable menu	PASSED	0.592 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		

AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   PASSED   P	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click on add button for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.766 s  0.704 s  PASSED  0.704 s  0.704 s		The state of the		
screenshot  4 And click on add button for invoice booking  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the invoice billing  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.190 s	3	·	PASSED	
And click on add button for invoice booking  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.190 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.766 s
4 And click on add button for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  FASSED  24.816 s  PASSED  25 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.493 s  PASSED  0.190 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the invoice billing  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.493 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.974 s  0.974 s		0   1   1   1   1   1   1   1   1   1		
screenshot  And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Save and submit the invoice billing  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.493 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.190 s	4	And click on add button for invoice booking	PASSED	0.504 s
5 And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Save and submit the invoice billing  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.493 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.190 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.974 s
5 And Fill the required fields for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the invoice billing  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.493 s  PASSED  0.190 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the invoice billing  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.493 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.255 s		0   1   1   1   1   1   1   1   1   1		
Screenshot  6 Then Save and submit the invoice billing  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.190 s	5	And Fill the required fields for invoice booking	PASSED	24.816 s
6 Then Save and submit the invoice billing AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
6 Then Save and submit the invoice billing AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s				
	6	Then Save and submit the invoice billing	PASSED	6.493 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
		screenshot		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  1 m 6.891 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  1 m 6.891 s				
screenshot  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.180 s  PASSED  O.468 s  PASSED  O.3895 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.135 s  O.135 s	7	And User should go to the kubs url and login as a reviewer user	PASSED	1 m 8.832 s
8 Then Click on notification button in reviewer PASSED 0.180 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed 0.180 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed 0.135 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed 0.135 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed 0.135 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed 0.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.180 s  0.468 s  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.135 s  PASSED  1 m 6.891 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  0.468 s  0.468 s  0.468 s		The Contract of the Contract o		
screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  1 m 6.891 s	8	Then Click on notification button in reviewer	PASSED	0.180 s
9 And approve the record by the reviewer user PASSED 3.895 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED 1 m 6.891 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  3.895 s  0.135 s  PASSED  1 m 6.891 s		screenshot	1	
9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  3.895 s  0.135 s  PASSED  1 m 6.891 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  0.135 s  PASSED  1 m 6.891 s				2.005
Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED 1 m 6.891 s	9			
10 Given User should go to the kubs url and login as a checker user  PASSED 1 m 6.891 s			PASSED	0.135 S
AETED STED, standafinitions HooksClass addScreenshot(in qualimher java Sconario)	10	Given User should go to the kubs url and login as a checker user	PASSED	1 m 6.891 s
AFTER_3TEF - Stephoeliilikuris. Houks Class. aud Scieetistiuk (iu. cucultiber. Java. Scettatiu) PASSED 0.1995		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
screenshot		screenshot	]	

#	Step / Hook Details	Status	Duration
	The first instance of		
11	And Click on security management in checker	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	The Contract of the Contract o		
12	Then Click on open pool in checker	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	Screenshot  * On the contraction of the contraction		
13	And Click on claim button in checker	FAILED	0.020 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'346')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-button"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [776fab3512ace3b8be9539becfe8494e, findElement {using=xpath, value=//span[contains(text(),'346')]/parent::div/parent::datable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-buttons/ion-buttons/ion-buttons/ion-buttons/ion-buttons/ion-buttons/or-second-secon		


DETAILED SECTION -- 8 --

# Step / Hook Details	Status	Duration
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocationsElementFinder82.findElement(FlementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:331) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:337) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_InvoiceBooking.feature:20)  * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		0.153 s
14 And capture claimed status	CVIDDED	0.000 s
·	SKIPPED	0.000 s
	SKIPPED	
Then checker should approved the invoice billing	SKIPPED	0.000 s
Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
And user should navigate to accounts payable menu	SKIPPED	0.000 s
When click on eye button of invoice booking	SKIPPED	0.000 s
Then click on first eye button to get the system invoice number	SKIPPED	0.000 s
21 And maker should logout	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --





EXPANDED SECTION -- 13 --

