


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	2 m 8.280 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if other centre can accept the asset once received in	21	11	1	9	2 m 8.275 s
		their branch					

DETAILED SECTION -- 4 --

## (F)- FIXED ASSETS

FAILED	DURATION - 2 m 8.280 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 6:27:14.362 A	AM // 6:29:22.642 AM /	Pass - 0	1	Pass - 11	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- Check if other centre can accept the asset once received in their branch



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	34.496 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.400 s
	screenshot		
	Fig. 2 (a) Anti-material parties (a) Anti-ma		
2	And user should navigate to fixed assets menu	PASSED	1.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
	nen click on eye button of asset transfer	PASSED	0.406 s
AF	TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.966 s
scre	eenshot		
	9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
4 And	d click on add button for asset transfer	PASSED	0.719 s
SCIE		PASSED	0.579 s
5 And	d Fill the required fields for asset transfer	PASSED	1.960 s
	-609 (60)	PASSED	0.361 s
6 The	en Save and submit the asset transfer	PASSED	7.239 s
AF	TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	reenshot	7	


7 And User should go to the kubs url and login as a reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  FASED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.256 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.172 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.172 s  PASSED  O.173 s  PASSED  O.174 s		3 mm g e e e e e e e e e e e e e e e e e		
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 ArtER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  12.715 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  12.715 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.54 s	7		PASSED	16.777 s
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  12.715 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.515 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by the reviewer user  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  A.321 s  PASSED  O.772 s  Creenshot  O.772 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.172 s  4.321 s  PASSED  O.172 s  Creenshot  O.256 s  PASSED  O.545 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.715 s  PASSED  0.545 s  0.545 s				
screenshot  9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.715 s  PASSED  0.154 s	8	Then Click on notification button in reviewer	PASSED	0.256 s
9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.715 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s
9 And approve the record by the reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.715 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.715 s  PASSED  0.172 s				
Screenshot  10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s	9	And approve the record by the reviewer user	PASSED	4.321 s
10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
10 Given User should go to the kubs url and login as a maker user for FAUM  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s		■ Output:   100 201 (pg):   100 100   100		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s	10	Given User should go to the kubs url and login as a maker user for FAUM	PASSED	12.715 s
screenshot			PASSED	0.154 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	State   State		
11	Then click on notification in checker	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.609 s
	screenshot		
	## OF THE PROPERTY OF THE PROP		
12	And Maker user should received the transferred asset	FAILED	6.030 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//span[contains(text(),379]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/div/lon-buttons/ion		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.FIXEDASSETS_AssetUndertaking. maker_user_should_received_the_transferred_asset(FIXEDASSETS_AssetUndertaking.java:192) at ?.Maker user should received the transferred asset(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetUndertaking.feature:19) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
	■ Comparison of the Compariso		
13	Then maker user should submit in undertaking	SKIPPED	0.000 s
14	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
15	Then Click on notification button in reviewer	SKIPPED	2.736 s
16	And approve the record by the final checker user	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to fixed assets menu	SKIPPED	0.001 s
19	When click on eye button of asset undertaking	SKIPPED	0.000 s
20	Then click on first view button to see the Transferred to Branch	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --





EXPANDED SECTION -- 13 --

