


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	37.936 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	verify credit cancelled is not available in payment settlement	15	14	1	0	37.926 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 37.936 s	Scenarios		Steps	
	<u> </u>	Total - 1		Total - 15	
/ 10:08:27.838 A	AM // 10:09:05.774 AM /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- verify credit cancelled is not available in payment settlement



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	16.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		
	ACENTRO  Was 10 tops: declarated according to \$100 to		
2	Then select data set ID for verifying credit cancelled is not available	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		

3 Then Choose the second Tab Segment PASSED 2.141 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cu	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  When click the Account Receivable main module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.291 s  0.291 s  0.291 s		Value to part to another service		
screenshot  When click the Account Receivable main module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	3	-	PASSED	2.141 s
4 When click the Account Receivable main module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.281 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
4 When click the Account Receivable main module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click the eye icon in credit note  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.138 s  0.223 s  0.223 s  0.261 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click the eye icon in credit note  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click the search icon in credit note page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARSSED  O.223 s  0.223 s  PASSED  O.167 s  PASSED  O.601 s  Company of the search icon in credit note page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.937 s  PASSED  O.281 s				
Screenshot  5 And click the eye icon in credit note  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the search icon in credit note page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.281 s	4	When click the Account Receivable main module	PASSED	0.138 s
5 And click the eye icon in credit note  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click the search icon in credit note page  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.601 s  0.937 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.281 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
5 And click the eye icon in credit note  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click the search icon in credit note page  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s  PASSED  0.937 s  PASSED  0.281 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click the search icon in credit note page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.601 s  PASSED  0.937 s  PASSED  0.937 s  PASSED  0.281 s		And the standard stan		
screenshot  And click the search icon in credit note page  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.937 s  0.281 s	5	And click the eye icon in credit note	PASSED	0.167 s
6 And click the search icon in credit note page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s  0.281 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.601 s
6 And click the search icon in credit note page  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s  PASSED  0.281 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.281 s				
	6	And click the search icon in credit note page	PASSED	0.937 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Support Suppor		
7	And search credit note status as cancelled	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	A CONTROL OF THE PROPERTY OF T		
8	And click the first eye icon in the Cancelled Credit List	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
	A CONTROL OF THE PROPERTY OF T		
9	And get invoice number and get buisness partner name	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
	** STATES** The STATES** AND ADDRESS AND A		
10	And click account payable main module	PASSED	0.103 s
-	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot	]	

ASSETTO THE PARTY STATES ASSETTING A	
And click the eye icon in account payable PASSE	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	D 0.312 s
screenshot	
12 And click the add icon in payment settlement for credit PASSE	1.383 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSE	D 0.302 s
screenshot	
Accorded to the continue of th	
13 And select payment option as buisness partnerwise for credit PASSE	0.203 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSE	D 0.234 s
screenshot	
*** A SACRETO **** *******************************	
14 And select buisness partner in payment settlement for credit PASSE	D 3.330 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.141 s
screenshot	


#	Step / Hook Details	Status	Duration
	ACENTO    Washington   Section   S		
15	Then verify that invoice from credit not is not available in bill list	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//div[text()=" null ]") (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/thno_such_element Build info: version: 40.0-red.; revision: 'bc551.1cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d911c9c6e633d369958ce9692e5f073, findElement (using=xpath, value=//div[text()=" null ]]) (apabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (hromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\NnNDC-1\AppData\L\), goog: chromeOptions: (debuggerAddress: localhost:52233), javascrptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WiNDOWS, platformName: WiNDOWS, proxy: Proxy(), sec.dp: ws://localhost:52233/devtoo, sec.dp/version: 100.0.4896.60), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: 68911c9c6633d369958ce9692e6f073 at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.enter.httpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.enter.httpCommandExecutor.invokeExecute(DriverComma		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

#	Step / Hook Details	Status	Duration
	A SEATON   Window   Appendix and Appendix		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

