

Cucumber Report

Feb 24, 2022, 5:47:19 PM

Start : Feb 24, 5:46:47.377 PM

End : Feb 24, 5:47:17.310 PM

Duration : 29.933 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	29.933 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	<u>Cancel approved receipts through Online Mode</u>	20	7	1	12	29.928 s

(F)- Check the Functionality of AR/AP Module



FAILED	DURATION - 29.933 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 20 Pass - 7 Fail - 1 Skip - 12	
/ 5:46:47.377 PM // 5:47:17.310 PM /					


(S)- Cancel approved receipts through Online Mode

<div>FAILED</div>	<div>DURATION - 29.928 s</div>	<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 5:46:47.382 PM // 5:47:17.310 PM /</div>				
<div>Check the Functionality of AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_011_001_TC_02</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	PASSED	16.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			
2	Then Click on the Finance	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on the Direction	PASSED	0.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
4	Then Click on Accounts Recivable	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			
5	Then Click on Receipts reversals eye button	PASSED	0.521 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		
			
6	Then Click on add button of Receipts reversals	PASSED	0.425 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill all the details of Receipts reversals form	PASSED	1.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
			
8	Then Click on save button of Receipts reversals form	FAILED	1.131 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c213695277aa0851a0b2bdfd411c0b9b, clickElement {id=46c9e84b-d106-4fab-9bf1-56dcbe0d6db6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile\Default\Extensions\...}, goog:chromeOptions: {debuggerAddress: localhost:50452}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50452/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c213695277aa0851a0b2bdfd411c0b9b)] -> xpath: //page-receipts-reversals-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: c213695277aa0851a0b2bdfd411c0b9b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>		

#	Step / Hook Details	Status	Duration
	<div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ArAp.click_on_save_button_of_receipts_reversals_form(ArAp.java:333) at ?.Click on save button of Receipts reversals form(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/ArAp.feature:150)</div> <div>* Not displayable characters are replaced by '?'. </div>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
9	Then Click on Edit Grid of Receipts reversals	SKIPPED	0.000 s
10	Then Open first record from Edit Grid of Receipts reversals	SKIPPED	0.001 s
11	Then Click on initiate	SKIPPED	0.000 s
12	Then Click on the Notification	SKIPPED	0.000 s
13	Then Select the record which we saved	SKIPPED	0.000 s
14	Then Submit record	SKIPPED	0.000 s
15	Then Open the Reviewer account	SKIPPED	0.000 s
16	Then Click on the Notification	SKIPPED	0.000 s
17	Then Approve the record which we submitted from maker	SKIPPED	0.000 s
18	Then Go to Checker login	SKIPPED	0.000 s
19	Then Clam record	SKIPPED	0.000 s
20	Then Click on the notification and approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurati...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurati...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration


22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Welcome, anant

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: * Receipt Reference Number:

Receipt Amount: Txn Date: Cancellation Remarks:

Txn Status:

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch Azentio Main Branch Txn Number
Receipt Amount Txn Date
Txt Status

* Receipt Reference Number
* Cancellation Remarks
Cancel due to internal error

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel approved receipts through
Online Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch Azentio Main Branch Txn Number
Receipt Amount Txn Date
Txt Status

* Receipt Reference Number
* Cancellation Remarks
Cancel due to internal error