


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	33.855 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify reviewer can get a notification after reviewer	20	20	0	0	33.848 s
	feature	update the budget code and submit it for approval					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 33.855 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 11:00:37.084 AI	M // 11:01:10.939 AM /	Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify reviewer can get a notification after reviewer update the budget code and submit it for approval

	•	
PASSED DURATION - 33.848 s	10 Steps	
/ 11:00:37.091 AM // 11:01:10.939 AM /	8	0
To check BudgetDefinition moduel feature	6 - 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	20
@Reviewer_get_Notification_of_Updated_budget-	2 - Fail - 0	
Code	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
	## OF THE PARTY O		
2	Then click on budget configuration Menu	PASSED	0.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Discrete Space Spa		
3	And click on budget definition sub menu and click on eye icon	PASSED	0.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
	# O State Speciments    P		
4	Then search the budget code want to update	PASSED	0.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
	Post from the control of the control		
5	And select the budget code	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
6	And update the budget code	PASSED	3.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot	]	


#	Step / Hook Details	Status	Duration
	Property types to be the control of		
7	Then update the budget budget type	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
	PRODUCTION STATEMENT OF THE PRODUCTION OF THE PR		
8	Then update warning percentage	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.149 s
9	Then update budget name	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texasis**  **	PASSED	0.224 s
10	Then update remark	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot	1	

#	Step / Hook Details	Status	Duration
	# On the Contraction of the Con		
11	And click on save after update all the details	PASSED	3.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
	Part		
12	Then Click on notification icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### Property of the content of t	PASSED	0.363 s
13	And select the first record	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.327 s
14	Then click on submit button	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)   PASSED	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  After_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  When click on submit button save the reviewer id  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  5.769 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.115 s				
screenshot  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Billow in navigate to URL and login as a reviewer  AFTER_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  5.769 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  5.769 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  5.769 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  5.1769 s	15	And enter remark in alert tab	PASSED	0.191 s
And click on submit April And click on submit April AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  B Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  5.769 s  PASSED  0.115 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  When click on submit button save the reviewer id  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  PASSED 0.204 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  PASSED 5.769 s  PASSED 0.115 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 5.769 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.204 s  PASSED 0.204 s		#		
screenshot  Type Men click on submit button save the reviewer id  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  Big Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  5.769 s  PASSED  0.115 s	16	And click on submit	PASSED	0.047 s
When click on submit button save the reviewer id  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Biguin as a reviewer of the reviewer id the r		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
To When click on submit button save the reviewer id PASSED 0.626 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Bi Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 5.769 s  PASSED 0.115 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  PASSED  0.131 s  0.131 s				
Screenshot  ### Siven navigate to URL and login as a reviewer  ### AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ### PASSED 5.769 s  ### OPERATOR OF THE STEP - Stepdefinitions    ### PASSED 0.115 s	17	When click on submit button save the reviewer id	PASSED	0.626 s
18 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.115 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
18 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.115 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.115 s		O NAMES		
	18	Given navigate to URL and login as a reviewer	PASSED	5.769 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Particular		
19	Then click on notification icon	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.240 s
20	When click on notification icon to check reviewer can get a record which is submitted by maker	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*  **Ten_Step - step -	PASSED	0.186 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION --- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

