

Cucumber Report

9 Jan 2023, 9:33:42 PM

Start : Jan 09, 9:32:40.917 PM

End : Jan 09, 9:33:40.573 PM

Duration : 59.656 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5

FAILED - 1

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	59.656 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	5	1	3	59.652 s




(F)- AR/AP Module


FAILED	DURATION - 59.656 s	Scenarios		Steps	
/ 9:32:40.917 PM // 9:33:40.573 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	


(S)- Verify status for the receipt is auto changed to Deposit


<div>FAILED</div> <div>DURATION - 59.652 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 9:32:40.921 PM // 9:33:40.573 PM /				
AR/AP Module				
@AR/AP @KUBS_AR_AP_UAT_010_002_TC_02_01				



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	42.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.854 s
	screenshot		
			
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
			



#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
4	And goto accouts receipt module	PASSED	0.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.642 s
	screenshot		
			
5	And click on Add Icon	PASSED	2.054 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.595 s
	screenshot		
			
6	And fill the all receipt mendatory details	FAILED	0.407 s
	<p>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence</p> <p>at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source)</p> <p>at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.fill_the_all_receipt_mendatory_details(ARAP_ClearingReceiptViaChequeMode.java:121)</p> <p>at ?.fill the all receipt mendatory details(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1056)</p> <p>* Not displayable characters are replaced by '?'. </p>		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
			
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>		
<p><u>(F) AR/AP Module</u></p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify status for the receipt is auto
changed to Deposit

(F) AR/AP Module

AZENTIO
ONEBanking

- Receipts
- Receipts reversals
- Cheque deposit
- Update cheque status
- Appropriation
- Appropriation reversals
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro... 11 Mess...

11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts

* Entity Branch	Txn Number	* Receipt Type
* Receipt Reference Number	* Receipt Date 11-Nov-2022	* Receipt Amount INR
* Bank Account Number	* Receipt Payer	* Value Date 11-Nov-2022
Remarks *	Txt Status	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify status for the receipt is auto
changed to Deposit

(F) AR/AP Module

AZENTIO
ONEBanking

- Receipts
- Receipts reversals
- Cheque deposit
- Update cheque status
- Appropriation
- Appropriation reversals
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro... 11 Mess...

11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts

* Entity Branch Azentio Main Branch	Txn Number	* Receipt Type Cheque
* Receipt Reference Number	* Receipt Date 11-Nov-2022	* Receipt Amount INR
* Bank Account Number	* Receipt Payer	* Value Date 11-Nov-2022
Remarks *	Txt Status	