


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | BUDGET TRANSFER SUBMODULE UAT TESTCASES | 1 | 0 | 1 | 0 | 49.702 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------|--|----|---|---|----|----------|
| 1 | BUDGET TRANSFER SUBMODULE | Check the trasnfering budget code and transferred budget | 19 | 6 | 1 | 12 | 49.696 s |
| | <u>UAT TESTCASES</u> | code type should be same | | | | | |

DETAILED SECTION -- 4 --

(F)- BUDGET TRANSFER SUBMODULE UAT TESTCASES

| FAILED | DURATION - 49.702 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 19 | |
| / 9:07:06.538 PI | M // 9:07:56.240 PM / | Pass - 0 | 1 | Pass - 6 | 19 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 12 | |

(S)- Check the trasnfering budget code and transferred budget code type should be same

| FAILED DURATION - 49.696 s | | | - | | | | | | | | | | | | | | Steps | | |
|--------------------------------------|------|---|---|---|---|---|---|--------|---|---|----|----|----|----|----|----|-----------------------|----|---|
| / 9:07:06.544 PM // 9:07:56.240 PM / | 10 - | - | | - | | | - | - - | - | | - | | | - | | - | Total - 19 | | |
| BUDGET TRANSFER SUBMODULE UAT | 5 - | - | | - | | | - | | - | | | | | | | | Pass - 6 | 19 | |
| TESTCASES | | | 1 | | | | | | | | | | | | | | Fail - 1 Skip - 12 | | , |
| @KUBS_BP_UAT_006_002 | 0 -1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | - 3кір - 12 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given navigate to kubs url and login as a maker user | PASSED | 13.997 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.661 s |
| | screenshot | | |
| | The Control of Control | | |
| 2 | Then select the budget menu in segment button | PASSED | 0.596 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.322 s |
| | screenshot | | |


| 3 And click on the eye icon of budget transfer sub module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.223 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.321 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.400 s | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.578 s 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | | | |
| Screenshot 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot DASSED O.321 s PASSED 0.400 s | 3 | And click on the eye icon of budget transfer sub module | PASSED | 0.223 s |
| 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.578 s |
| 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot DASSED 3.458 s PASSED 0.196 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.400 s 3.458 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot | | | | |
| Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.196 s | 4 | Then click on add button to create budget record | PASSED | 0.321 s |
| 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.196 s | | | PASSED | 0.400 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | | # PRINCE TABLE TAB | | |
| screenshot | 5 | And fill the required field to transfer budget | PASSED | 3.458 s |
| ■ © vaconstates to the state of the state o | | | PASSED | 0.196 s |
| The Company of the Co | | screenshot | | |
| © 0 marked 1 marked | | # Descriptions Prince Prin | | |
| 6 Then save and submit by the maker user to transfer 7.898 s | 6 | Then save and submit by the maker user to transfer | PASSED | 7.898 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.185 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.185 s |
| | | screenshot | | |


| Step / Hook Details | Status | Duration |
|--|--------|----------|
| # \$\tilde{\text{Constraints}} \ \tilde{\text{Constraints}} \ \tilde^{\text{Constraints}} \ \tilde{\text{Constraints}} \ \text | | |
| And Navigate to the Url and login as reviewer user | FAILED | 7.400 s |
| org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";selector":"/p[contains(ext(),0(p)]"] (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions///hos_uch_element_Build info: version: "4.0-rc-1; revision: "bc5512cbda" System info: host: "PG00X8KU", ip: '10.1.47.121', os.name: Windows 10', os.arch: "amd64', os.version: "10.0", java.version: "17.0.1" Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6e2704461054c4604767db4d762db, infollement (using=xpath, value-pf)(contains(text)(),0(p))]] Capabilities { acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDatabir: C:Users/NINDON-1Appbatal); goog: chromeOptions: {debuggerAddress: localhost154300}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy.) Proxy(), sec.op. ws://localhost.61830/devtoo, sec.op/version: 96.0.4664.45, setWindowRect: true, strictFleinteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000, unhandedPromptBehavior: dismiss and notify, webnix-retension.largeBlob: true, webauthn:vitualAuthenticators: true) Session ID: 6e27046105c4ec04a77df0a4d79c3tb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:480) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:480) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:480) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:480) at java.base/jdk.internal.reflect.Constructor.newInstance(MindS | | |

DETAILED SECTION -- 7 --


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.434 s |
| | screenshot | | |
| | A SENTO | | |
| 8 | Then Click on the Notification button | SKIPPED | 0.000 s |
| 9 | Then Find the budget code which is submitted by maker | SKIPPED | 0.000 s |
| 10 | And reviewer user should logout | SKIPPED | 0.000 s |
| 11 | Given Navigate to kubs Url and login as a Checker user | SKIPPED | 0.000 s |
| 12 | And Click on the security management menu | SKIPPED | 0.000 s |
| 13 | Then Click on open pool sub menu | SKIPPED | 0.000 s |
| 14 | And Click on claim button of the submitted record | SKIPPED | 0.000 s |
| 15 | Then claimed status should appear | SKIPPED | 0.000 s |
| 16 | Then Click on the Notification button | SKIPPED | 0.000 s |
| 17 | Then finally checker should approve the record | SKIPPED | 0.000 s |
| 18 | And system should show prompt message for verification | SKIPPED | 0.000 s |
| 19 | Then checker user should logout | SKIPPED | 0.000 s |

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the trasnfering budget code and transferred budget code type should be same

(F) BUDGET TRANSFER SUBMODULE UAT TESTCASES

