
**Duration: 1 m 8.160 s** Start: Nov 30, 9:00:45.184 AM End: Nov 30, 9:01:53.344 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 15 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 17 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 88 % 100 100

FEATURES SUMMARY -- 2 --



1 1	#	Feature Name	T	P	F	S	Duration
-	1	AR/AP Module	1	0	1	0	1 m 8.160 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Accounting entries post approval of GRN	17	<b>15</b>	1	1	1 m 8.157 s

DETAILED SECTION

## (F)- AR/AP Module

FAILED	DURATION - 1 m 8.160 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 9:00:45.184 AI	M // 9:01:53.344 AM /	Pass - 0	1	Pass - 15	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- Verify Accounting entries post approval of GRN



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	2.496 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  4 And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  6 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  7 Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.222 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.238 s	#	Step / Hook Details	Status	Duration
And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  And Update the data set id for Accounting entries post bill is approved  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.069 s  PASSED  O.160 s  O.160 s  O.222 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.162 s  O.222 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.222 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.222 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.222 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.228 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.298 s	3	When click on eye button of invoice booking	PASSED	0.464 s
And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5. And Update the data set id for Accounting entries post bill is approved  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  7. Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.094 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.298 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
4 And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Update the data set id for Accounting entries post bill is approved  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.094 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.222 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.228 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  And Update the data set id for Accounting entries post bill is approved AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  Then Give the Invoice Number for Puchase Bill AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot		+		
screenshot  And Update the data set id for Accounting entries post bill is approved  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.222 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.162 s  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.298 s	4	And Click On Search Icon	PASSED	1.480 s
And Update the data set id for Accounting entries post bill is approved  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.222 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.094 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.094 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
And Update the data set id for Accounting entries post bill is approved  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  0.222 s  PASSED  0.222 s  PASSED  0.162 s  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.023 s  0.004 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  0.222 s  0.162 s				
screenshot  Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.222 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.298 s	5	And Update the data set id for Accounting entries post bill is approved	PASSED	0.069 s
Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.222 s  0.162 s  0.162 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
Then Give the Invoice Number for Puchase Bill  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.222 s  0.162 s  0.162 s  0.162 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.162 s  PASSED  0.094 s  PASSED  0.298 s		Author   A		
Screenshot  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.094 s  0.298 s	6	Then Give the Invoice Number for Puchase Bill	PASSED	0.222 s
7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.094 s  0.298 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.094 s 0.298 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.298 s		ACCOUNTS   ACCOUNTS		
	7	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.094 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	ALBERTO   Section of the control o		
8	Then Third Segment report Icon	PASSED	0.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
	## AUSTON    Company   Com		
9	And Choose Enquiry Module	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
	Second		
10	Then Click Note iCon near by financial transction	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	ADMITO  SOUTH OF SOUT		
11	And choose branch codes	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot	]	


#	Step / Hook Details	Status	Duration
12	And click on transaction from date in calender	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
13	Then Select from date in calender	PASSED	2.797 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
14	And click on transaction to date in calender icon	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
	A SATTO  See See See See See See See See See Se		
15	Then Select To date in calender	PASSED	1.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ACCUSED  TO SECOND STATE OF THE PROPERTY OF TH		
16	And Click View HyperLink	FAILED	21.744 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (67b0be4df536e1d358827fd6db648aef)] -> xpath: (//span[contains(text(),'View')])[1]] (tried for 20 second(s) with 800 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.ARAP_AccountingEntries.click_view_hyperlink(ARAP_AccountingEntries.java:177) at ?.Click View HyperLink(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:254) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot	_	
	ACMINE  AND THE REPORT OF THE PARTY OF THE P		
17	Then Verify Accounting entries post Bill is approved	SKIPPED	0.001 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

