Cucumber Report

Start : May 17, 12:46:08.957 PM	End : May 17, 12:46:48.909 PM	Duration : 39.952 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0

| #	Feature Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	1	1	0	0	39.952 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	System should display the balancesheet report	8	8	0	0	39.943 s

## (F)- To verify user can able to do transaction in gl2 moduyle

PASSED	*DURATION - 39.952 s*	Scenarios		Steps	
/ 12:46:08.957 PM // 12:46:48.909 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 8 Pass - 8 Fail - 0 Skip - 0	8

(S)- System should display the balancesheet report

PASSED	*DURATION - 39.943 s*		Steps	
/ 12:46:08.966 PM // 12:46:48.909 PM /			Total - 8	8
To verify user can able to do transaction in gl2 moduyle			Pass - 8 Fail - 0 Skip - 0	
@GL2 @KUBS_GL2_UAT_008_011 @MultiAuth				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	18.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.824 s
	screenshot		
2	Then click on report segment button	PASSED	1.927 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on Financial reporting button	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
4	Then click on balancesheet report	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
5	Then fill the input fields of balancesheet report	PASSED	0.850 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
6	Then Select Transaction from date Financial Transaction Report	PASSED	1.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And click view button of report	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
8	Then verify the Record available in the report	PASSED	5.664 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) To verify user can able to do
transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	