

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	16.688 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify user can able to see modification history of	11	11	0	0	16.684 s
	<u>feature</u>	updated budget code					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 16.688 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:04:30.225 AN	Л // 9:04:46.913 AM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify user can able to see modification history of updated budget code



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.653 s
	screenshot		
	### ### ##############################		
2	Then click on budget configuration Menu	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		


After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  And Find the budet code in the list After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot  After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step - step definitions. Hooks C	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Find the budet code in the list  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Final part of the property system should display the status of the record part of the screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then verify system should display the status of the record part of the screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.285 S  0.206 S  0.207 S  0.2		The contract   The		
screenshot  And Find the budet code in the list  And Find the budet code in the list  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then verify system should display the status of the record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.077 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.031 s  PASSED  0.151 s	3	And click on budget definition sub menu and click on eye icon	PASSED	0.436 s
And Find the budet code in the list  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then verify system should display the status of the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.031 s  PASSED  0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
4 And Find the budet code in the list  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then verify system should display the status of the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  O.077 s  PASSED  O.127 s  O.031 s  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.031 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then verify system should display the status of the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And verify system should display the name or id who created the record  And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.220 s  0.220 s  0.220 s		Part		
screenshot  Then verify system should display the status of the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  O.031 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.151 s	4	And Find the budet code in the list	PASSED	0.063 s
5 Then verify system should display the status of the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.031 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
5 Then verify system should display the status of the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.077 s  0.127 s  0.127 s  0.127 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  0.127 s  0.127 s		### OF THE PROPERTY OF THE PRO		
Screenshot  6 And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.031 s  0.151 s	5	Then verify system should display the status of the record	PASSED	0.077 s
6 And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions. Hooks Class. add Screen shot (io. cucumber.java. Scenario)  PASSED  0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
6 And verify system should display the name or id who created the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.031 s  0.151 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s		1		
	6	And verify system should display the name or id who created the record	PASSED	0.031 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
screenshot		screenshot		

7 And verify system should display record created date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.144 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s	
screenshot	
## 10 mm 1	
8 And verify system should display the name or id who made changes the record at last PASSED 0.023 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s	
screenshot	
# \$\int Order the contract of the contra	
9 And verify system should display record modified date 0.027 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.167 s	
screenshot	
# ** ** ** ** ** ** ** ** ** ** ** ** **	
Then verify system should display name or id of the authorized person of that record PASSED 0.078 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	### OF THE PROPERTY OF THE PRO		
11	And verify system should diplay the authorized date	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
	## OF THE PROPERTY OF THE PROP		


EXPANDED SECTION --- 8 --



**EXPANDED SECTION** 




EXPANDED SECTION -- 10 --



EXPANDED SECTION

-- 11 --



EXPANDED SECTION -- 12 --

