

# Cucumber Report

Mar 2, 2022, 10:43:29 PM

**Start : Mar 02, 10:42:43.476 PM**

**End : Mar 02, 10:43:24.314 PM**

**Duration : 40.838 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 10**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	40.838 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Check the GI Status</u>	11	0	1	10	40.820 s


**(F)- Check the Functionality of Inventory**

<b>FAILED</b>	<b>DURATION - 40.838 s</b>	Scenarios		Steps	
/ 10:42:43.476 PM // 10:43:24.314 PM /		Total - 1		Total - 11	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

**(S)- Check the GI Status**

<b>FAILED</b>	<b>DURATION - 40.820 s</b>		Steps	
/ 10:42:43.494 PM // 10:43:24.314 PM /			Total - 11	
Check the Functionality of Inventory			Pass - 0	
@KUBS_INV_MGMT_UAT_004_GL			Fail - 1	
		Skip - 10		

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to URL and user should login as a maker</p> <p>org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2d0cb549cd6edc2890d2640d24e6660d, clickElement {id=8daff736-5d6e-403c-8e05-9246c2be7fb1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:55170}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55170/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2d0cb549cd6edc2890d2640d24e6660d)] -&gt; xpath: //ion-item[2]/ion-radio] Session ID: 2d0cb549cd6edc2890d2640d24e6660d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>	FAILED	23.193 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AzentioLogin.loginToAzentioApp(AzentioLogin.java:49) at stepdefinitions.InventoryManagment.navigate_to_url_and_user_should_login_as_a_maker(InventoryManagment.java:67) at ?.Navigate to URL and user should login as a maker(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:260) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.642 s
2	Then click on report button	SKIPPED	0.001 s
3	And click Enquiry menu	SKIPPED	0.000 s
4	Then click on Edit icon near by financial transaction	SKIPPED	0.000 s
5	And choose branch code Id	SKIPPED	0.000 s
6	Then choose GI code Id	SKIPPED	0.000 s
7	And click on transaction from date in calender icon	SKIPPED	0.001 s
8	Then choose from date in calender	SKIPPED	0.000 s
9	And click on the transaction to date in calender icon	SKIPPED	0.000 s
10	Then choose the To date in calender	SKIPPED	0.000 s
11	And click on view button to see the Record	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the GI Status

(F) Check the Functionality of Inventory

