Cucumber Report

Start : Jan 13, 8:12:40.156 PM	**End : Jan 13, 8:12:54.225 PM**	**Duration : 14.069 s**
Features	*Scenarios*	*Steps*
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of BudgetTransfer	1	1	0	0	14.069 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of BudgetTransfer	Check the functionality if transfering budget does not have sufficeint amount in that quarter	6	6	0	0	14.066 s

(F)- Check the Functionality of BudgetTransfer

PASSED	DURATION - 14.069 s	Scenarios		Steps	
/ 8:12:40.156 PM // 8:12:54.225 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 6 Pass - 6 Fail - 0 Skip - 0	6

(S)- Check the functionality if transfering budget does not have sufficeint amount in that quarter

PASSED	DURATION - 14.066 s		Steps	
/ 8:12:40.159 PM // 8:12:54.225 PM /			Total - 6	6
Check the Functionality of BudgetTransfer			Pass - 6	
@BudgetTransfer_KUBS_BP_UAT_006_008			Fail - 0 Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker login	PASSED	8.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
2	And Maker click on the direction tab	PASSED	0.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Maker click on the budget	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
4	Then Maker click on budget transfer eye button	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
5	And Maker click on add button	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
6	Then fill the form and enter excessive budget amount to transfer	PASSED	1.604 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Check the functionality if transfering budget does not have sufficeint amount in that quarter | |
| (F) Check the Functionality of BudgetTransfer | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Check the functionality if transfering budget does not have sufficeint amount in that quarter | |
| (F) Check the Functionality of BudgetTransfer | |

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the functionality if transfering budget does not have sufficeint amount in that quarter	
(F) Check the Functionality of BudgetTransfer	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the functionality if transfering budget does not have sufficeint amount in that quarter	
(F) Check the Functionality of BudgetTransfer	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the functionality if transfering budget does not have sufficeint amount in that quarter	
(F) Check the Functionality of BudgetTransfer	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the functionality if transfering budget does not have sufficeint amount in that quarter	
(F) Check the Functionality of BudgetTransfer	