


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 3.859 s

SCENARIOS SUMMARY -- 3 --




i	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	AR/AP Module	Verify Balance sheet post Bill is approved.	14	14	0	0	1 m 3.852 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 1 m 3.859 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 12:17:34.871 P	PM // 12:18:38.730 PM /	Pass - 1	1	Pass - 14	14
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify Balance sheet post Bill is approved.



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.935 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.893 s
	screenshot		
	THE STATE OF THE S		
2	And user should navigate to accounts payable menu	PASSED	3.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
	TARRY WENT TOPS - AND		


Men click on eye button of invoice booking AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.383 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.345 s Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.755 s	#	Step / Hook Details	Status	Duration
screenshot A And Click On Search Icon AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) Screenshot AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.383 s AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.345 s Then Click on Table Row First Eye Icon in ARAP AFTER_STEPstepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.147 s PASSED 0.755 s	3	When click on eye button of invoice booking	PASSED	1.687 s
4 And Click On Search Icon AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Update the data set id for Balance sheet Report post bill is approved AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.384 s
4 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Update the data set id for Balance sheet Report post bill is approved AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And search invoice type as expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.755 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Update the data set id for Balance sheet Report post bill is approved AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And search invoice type as expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.391 s 0.345 s 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s PASSED 0.755 s				
screenshot 5 And Update the data set id for Balance sheet Report post bill is approved AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And search invoice type as expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.391 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s PASSED 0.755 s	4	And Click On Search Icon	PASSED	0.587 s
5 And Update the data set id for Balance sheet Report post bill is approved AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.464 s PASSED 0.383 s 0.391 s PASSED 0.345 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
5 And Update the data set id for Balance sheet Report post bill is approved AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And search invoice type as expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s PASSED 0.755 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Coreenshot And search invoice type as expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Coreenshot Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.383 s O.391 s O.345 s O.345 s		ACENTO		
Screenshot 6 And search invoice type as expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.391 s 0.345 s 0.345 s	5	And Update the data set id for Balance sheet Report post bill is approved	PASSED	0.464 s
6 And search invoice type as expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.391 s 0.345 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.345 s 0.147 s PASSED 0.755 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.345 s 0.147 s PASSED 0.755 s		AZENTO		
screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s 0.755 s	6	And search invoice type as expense	PASSED	0.391 s
7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s 0.755 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s 0.755 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.755 s		*** *** *** *** *** *** *** *** *** **		
	7	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.147 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.755 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO Waste Was		
8	And get the buisness partner name and invoice number from the bill viewed	PASSED	1.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
	AZENTO **PACE [8]: ** **PACE [8]: ************************************		
9	Then Third Segment report Icon	PASSED	0.681 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
	Company Comp		
10	And click the financial reporting	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
	** ACEPTICE* *** ACCOUNT OF THE PARTY OF TH		
11	And click the balance sheet report	PASSED	0.515 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
	AZENTO WANDERS SEPARATE O CO		


DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
12	Then Fill the details for Balance sheet report	PASSED	2.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
13	Then Click on View buttons	PASSED	3.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.535 s
	screenshot		
	AZENTO Whose Equal contained and approximate the property of		
14	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries	PASSED	1.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
	A ZERTIO STATE OF THE PROPERTY		


EXPANDED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION --- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 14 --

