

Cucumber Report

18-Mar-2022, 4:38:24 pm

Start : Mar 18, 4:38:01.975 pm

End : Mar 18, 4:38:23.619 pm

Duration : 21.644 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 9


FAILED - 1

SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	1	0	1	0	21.644 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	<u>Creation of Accounting Books for custom templet</u>	28	9	1	18	21.638 s





(F)- Check the Functionality of the GL2 Module





FAILED	DURATION - 21.644 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 28 Pass - 9 Fail - 1 Skip - 18	
/ 4:38:01.975 pm // 4:38:23.619 pm /					


(S)- Creation of Accounting Books for custom templet

FAILED	DURATION - 21.638 s		Steps Total - 28 Pass - 9 Fail - 1 Skip - 18	
/ 4:38:01.981 pm // 4:38:23.619 pm /				
Check the Functionality of the GL2 Module				
@KUBS_GL_UAT_002_001				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	11.997 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot 		
2	And Click on Accounting Setup module	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click sub module Accounting book definition	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot 		
4	And Click on Add icon	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot 		
5	Then Choose the Template Type of Custom Template	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot 		
6	And Enter Another Book Name	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Select system date as Effective date	PASSED	1.562 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
			
8	And Choose the Book Type what you Need	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			
9	Then Enter the Remark	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
			
10	And Save the Record	FAILED	1.104 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		


#	Step / Hook Details	Status	Duration
	<p>name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [03f0455a69baf5222cd5c268b5424bdd, clickElement {id=bff3777c-916e-4662-80d6-98b29226e11f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53637}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53637/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (03f0455a69baf5222cd5c268b5424bdd)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 03f0455a69baf5222cd5c268b5424bdd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL2_Accounting_Book_Definition.save_the_record(GL2_Accounting_Book_Definition.java:136) at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL2_Accounting_Setup.feature:44) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.112 s

#	Step / Hook Details	Status	Duration
11	Then Goto The Notification Icon	SKIPPED	0.001 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.000 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.000 s
17	Then Approve the record in Reviewer	SKIPPED	0.001 s
18	And Give Remark and Submit	SKIPPED	0.000 s
19	Given Navigate as a Checker	SKIPPED	0.000 s
20	Then Click module security management	SKIPPED	0.000 s
21	And Claim the Record in Checker	SKIPPED	0.000 s
22	Then Goto the Checker notification Icon	SKIPPED	0.001 s
23	And Click the First Action Icon	SKIPPED	0.000 s
24	Then Approve the Record in checker stage	SKIPPED	0.001 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.001 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet


(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

The screenshot shows the 'Accounting template grid view' in the Kastle Universal Banking (Beta) application. The interface includes a top navigation bar with the date '31-Oct-2022', language 'English', and user 'ANANT'. A left sidebar contains a menu with 'Finance' selected, and a sub-menu with 'Accounting setup' highlighted. The main area displays a table of accounting templates.

Actions	Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
	Azentio Software	Testing02	ACCB00K-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
	Azentio Software	Testing01	ACCB00K-06	IFRS Book	Base Template	10-Nov-2022	1002435
	Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
	Azentio Software	aCC BOOK	ACCB00K-04	IFRS Book	Base Template	18-Mar-2022	1002435
	Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
	Azentio Software	CUSTOM BOOK2	ACCB00K-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
	Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
	Azentio Software	Base_GAPP2	ACCT05	GAAP	Base Template	06-Dec-2021	le4maker

At the bottom of the table, it says '11 total'. There are navigation arrows and page numbers '1' and '2'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

The screenshot shows the 'Accounting Template' form in the Kastle Universal Banking (Beta) application. The interface is similar to the previous screenshot, with the 'Accounting setup' option selected in the sidebar. The main area displays a form with the following fields:

- * Template Type (dropdown menu)
- * Book Name (text input)
- * Effective Date (calendar icon, showing 18-Mar-2022)
- * Book Type (dropdown menu)
- * Remarks (text input)

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type
CUSTOM_TEMPLATE x

* Book Name

* Effective Date
18-Mar-2022

* Book Type

* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type
CUSTOM_TEMPLATE x

* Book Name
Testing02

* Effective Date
18-Mar-2022

* Book Type

* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type CUSTOM_TEMPLATE x

* Book Name

* Effective Date 10-Nov-2022

* Book Type

* Remarks

BookName already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type CUSTOM_TEMPLATE x

* Book Name

* Effective Date 10-Nov-2022

* Book Type IFRS Book x

* Remarks

BookName already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type	CUSTOM_TEMPLATE	* Book Name		* Effective Date	10-Nov-2022
* Book Type	IFRS Book	* Remarks	Okay		

BookName already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for
custom templet

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type	CUSTOM_TEMPLATE	* Book Name		* Effective Date	10-Nov-2022
* Book Type	IFRS Book	* Remarks	Okay		

Home Preference