

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	1	0	0	1 m 30.055 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and	Check System should able to Reject the supplimentary	17	17	0	0	1 m 30.047 s
	planning UAT files	requested budget					

## (F)- user create login in to Budget and planning UAT files

PASSED	DURATION - 1 m 30.055 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 12:38:07.644 F	PM // 12:39:37.699 PM /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Check System should able to Reject the supplimentary requested budget



#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	54.663 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.799 s
	screenshot		
	Total for the same one of 2 for the same one of 3 for the same one		
2	And maker should navigate to the budget module UAT	PASSED	1.763 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
	AND PARTY OF THE PROPERTY OF THE PARTY OF TH		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot  When maker click on budget supplementary eye icon UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  1.633 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.528 s  0.647 s	3	And maker click on budget field UAT	PASSED	0.135 s
4 When maker click on budget supplementary eye icon UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  O.528 s  PASSED  0.647 s  1.633 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  DASSED  O.528 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
4 When maker click on budget supplementary eye icon UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  1.633 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.647 s				
5 And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.352 s	4	When maker click on budget supplementary eye icon UAT	PASSED	0.528 s
5 And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.352 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.647 s
5 And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.352 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot				
screenshot    The second secon	5	And click on add button on budget supplementary view page UAT	PASSED	1.633 s
Company   Comp		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
A SAME OF THE PROPERTY OF THE		screenshot		
6 And user update the Excel sheet testdata for Budget and planning Allocation5 PASSED 0.018 s	6	And user update the Excel sheet testdata for Budget and planning Allocation5	PASSED	0.018 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.391 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
screenshot		screenshot		
Fig. 1 and 1				
7 Then fill the input fields UAT 2.052 s	7	Then fill the input fields UAT	PASSED	2.052 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.340 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	Part of the state		
8	Then fill apportion amount and save the record UAT	PASSED	2.556 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
	Part		
9	And click notification button	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
	AUTIO		
10	Then click on the search button	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
	Company   Comp		
11	And serach the budget supplimentory sub module name	PASSED	0.438 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		

12 Then choose first record in the notification record PASSED 0.463 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  13 And click on Submit button PASSED 0.260 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  14 Then enter remark in confirmation alerts AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  15 Then click on submit button in alert AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  15 Then click on submit button in alert AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  13 And click on Submit button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  14 Then enter remark in confirmation alerts  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  1.056 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  1.056 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  0.731 s  0.731 s  0.731 s		A		
screenshot  13 And click on Submit button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.275 s  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.316 s	12	Then choose first record in the notification record	PASSED	0.463 s
13 And click on Submit button PASSED 0.260 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  PASSED 0.071 s  PASSED 0.071 s  PASSED 0.071 s  PASSED 0.0383 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.731 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.316 s  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.316 s  0.316 s  PASSED  0.071 s  PASSED  0.071 s  PASSED  0.071 s  PASSED  0.383 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.316 s  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.316 s  PASSED  0.316 s		A CAPTION		
Screenshot  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.383 s	13	And click on Submit button	PASSED	0.260 s
14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.383 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.275 s  Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.275 s  0.275 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.275 s  Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.275 s  0.275 s		Fig. 1/2 and 1		
Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  PASSED  0.383 s	14	Then enter remark in confirmation alertss	PASSED	1.056 s
15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  PASSED  0.383 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  0.383 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.383 s				
	15	Then click on submit button in alert	PASSED	0.071 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
		screenshot	]	


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
16	And user update the Excel sheet testdata for Budget and planning Allocation5	PASSED	0.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot		
	Fig. 1/2 is above file of a file of		
17	And capture the reviewer ID in pop up which is open when we submit our record in maker stage5	PASSED	2.556 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
	Figure 1. See The See		

EXPANDED SECTION -- 9 --





EXPANDED SECTION -- 10 --






EXPANDED SECTION -- 11 --







EXPANDED SECTION -- 13 --




**EXPANDED SECTION** 



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

