

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	29.400 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	User should be able to raise supplementary request for	7	6	1	0	29.397 s
	functionality	Monthly budget					

DETAILED SECTION -- 4 --

## **(F)- Checking the Supplementary Budget functionality**

FAILED	DURATION - 29.400 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 7:28:41.033 A	MM // 7:29:10.433 AM /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## **(S)-** User should be able to raise supplementary request for Monthly budget



#	Step / Hook Details	Status	Duration
1	Given maker navigate to the url	PASSED	9.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
2	And user navigate to budget module	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		


#	Step / Hook Details	Status	Duration
3	And user click budget field tab	PASSED	11.975 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
	France to tage -		
4	When maker click on supplementary budget eyebutton	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot  * * ********************************		
5	And click addbutton on budget supplementary	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
	Final type   Section   Section		
6	Then fill required data for record	PASSED	4.506 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Particular particular in parti		
7	And enter year	FAILED	0.297 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', jp: '10.1.47.119', os. name: Windows 10', os. arch': 'amd64', os.version: '10.0', java-version: '17.0.1' Driver info: 'nog.openqa.selenium.chrome.ChromeDriver Command: [79a03a94c8ff2b04078e347479afc488, executeScript {script=return document.querySelector('cin-toast').shadowRoot. querySelector('cin/class='toast-message')', args=[]]) Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45 (febc1bb2ab46, userPataDir: C*\Users\NiNINDC-1\AppDataL), goog.chromeOptions: (debuggerAddress: localhost:64470), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: onral, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp'.ws://localhost:64470/devtoo, se:cdp'Version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 79a03a94c8ff2b04078e347479afc488 at java-base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java-base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java-base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java-base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java-base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java-base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java-base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.eodec.w3c.w3c.HttpResponseCodec.decode		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	**   **   **   **   **   **   **   *		


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

