Cucumber Report

Feb 16, 2022, 9:28:47 PM

Start : Feb 16, 9:27:10.438 PM	End : Feb 16, 9:28:41.545 PM	Duration : 1 m 31.107 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	1	0	0	1 m 31.107 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Asset Creation	6	6	0	0	1 m 31.101 s

(F)- FIXED ASSETS

PASSED	DURATION - 1 m 31.107 s	Scenarios		Steps	
/ 9:27:10.438 PM // 9:28:41.545 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 6 Pass - 6 Fail - 0 Skip - 0	

(S)- Asset Creation

PASSED	DURATION - 1 m 31.101 s		Steps	
/ 9:27:10.444 PM // 9:28:41.545 PM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	
FIXED ASSETS				
@KUBS_FAT_UAT_005_Creation				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	34.586 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.301 s
	screenshot		
	 +		
2	And user should navigate to fixed asset menu	PASSED	0.867 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of asset creation	PASSED	0.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.641 s
	screenshot		
			
4	And click on add button to create asset record	PASSED	0.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.548 s
	screenshot		
			
5	And Fill the required fields to create asset	PASSED	2.948 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.432 s
	screenshot		
			
6	Then Save and submit the asset creation record	PASSED	17.904 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Asset Creation	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Asset Creation	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Asset Creation (F) FIXED ASSETS	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Asset Creation (F) FIXED ASSETS