Duration: 1 m 0.519 s Start: Jan 25, 10:02:04.905 AM End: Jan 25, 10:03:05.424 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 10 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 70 % 100 100


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	0	1	0	1 m 0.519 s

SCENARIOS SUMMARY

-- 3 --




- 1	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	To verify the reports for fixed asset	Check Asset replacement Report	10	7	1	2	1 m 0.513 s

(F)- To verify the reports for fixed asset

FAILED	DURATION - 1 m 0.519 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 10:02:04.905 A	M // 10:03:05.424 AM /	Pass - 0	1	Pass - 7	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Check Asset replacement Report



#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	36.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.561 s
	screenshot		
2	Then Click on Report button	PASSED	1.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot		


#	Step / Hook Details	Status	Duration
3	Then Click on Transaction Reports tab	PASSED	1.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
	Restrict to the second state of the second sta		
4	Then Click on Asset replacement Report edit button	PASSED	0.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
	screenshot		
	PACKED The first term and the control of the contr		
5	Then Choose the data set id for asset replacement report	PASSED	0.033 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
	Post for many findings of the control of the contro		
6	And Get the system data	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
	State the state of		
7	Then Fill details for report	PASSED	1.807 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
	1		

#	Step / Hook Details	Status	Duration
	The state of the s		
8	Then Select date from calendar	FAILED	0.578 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/ltd[@aria-label=November, November, 26/lyspan"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda'; System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.226', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [329553049b71c362c5c44e94210588cb, findElement (using=xpath, value=/ltd[@aria-label=November, 26]/spanj) Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.17 (1e0e3868ee06, userDataDir: C:\Users\ININDC-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60487}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sexcept; ws://localhost:60487/devtoo, sexceptversion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:lageBlob: true, webauthn:vitualAuthenticators: true} Session ID: 329553049b71c362c5c44e942f0658cb at java.base/jak.lang:reflect.Constructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang:reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang:reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:164) at org.openqa.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot	1	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	Control Cont		
9	Then Click on the View button	SKIPPED	0.000 s
10	Then close the report	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

