


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	25.222 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Cancelled Debit Note is not available for adjustment	15	14	1	0	25.216 s
	<u>Module</u>	at Payment Settlement screen					

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 25.222 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 7:11:50.070 pi	m // 7:12:15.292 pm /	Pass - 0	1	Pass - 14	15
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Verify Cancelled Debit Note is not available for adjustment at Payment Settlement screen



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
	The Control of Control		
2	Then Choose the second Tab Segment	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		

#	Step / Hook Details	Status	Duration
	** O CONTROLLEGATION OF THE PARTY OF THE PAR		
3	And Click On Main module Accounts Receivable	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot	]	
	■ © CONTROLLED STATE OF THE ST		
4	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.425 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
-	screenshot   * *** *** *** *** *** *** *** *** **	-	
5	And Click On Search Icon	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
6	Then Enter Cancelled Value In Debit Not Status	PASSED	0.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		


7 Then Click on Table Row First Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 And Store The Business partner and Invoice Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.098 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.189 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Store The Business partner and Invoice Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.563 s  0.077 s  PASSED  0.135 s  0.135 s  0.136 s		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot  8 And Store The Business partner and Invoice Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Click sub module Payment settlement Eye Icon  PASSED  O.077 s  PASSED  O.078 s  O.098 s  O.167 s  O.167 s  O.167 s  O.168 s  O.168 s  O.169 s  O.189 s  O.334 s	7		PASSED	
8 And Store The Business partner and Invoice Number  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  screenshot  Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED  O.189 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED  O.189 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED  O.334 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
8 And Store The Business partner and Invoice Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.088 s  PASSED  0.187 s  0.189 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.334 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  PASSED  0.334 s		9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  PASSED  0.334 s	8	And Store The Business partner and Invoice Number	PASSED	0.077 s
9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  0.334 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.098 s  0.167 s  0.167 s  0.189 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  0.334 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.167 s  PASSED  0.189 s  0.334 s		### Company   #		
Screenshot  Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  0.334 s	9	And Click On Main module Accounts payable	PASSED	0.098 s
10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  0.334 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.334 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.334 s				
	10	Then Click sub module Payment settlement Eye Icon	PASSED	0.189 s
coronshot		·	PASSED	0.334 s
Scientific		screenshot	1	


Is	Status	Duration
	PASSED	0.231 s
ava.Scenario)	PASSED	0.249 s
	PASSED	0.364 s
ava.Scenario)	PASSED	0.189 s
	PASSED	0.298 s
ava.Scenario)	PASSED	0.178 s
	PASSED	1.993 s
ava.Scenario)	PASSED	0.133 s
	ava.Scenario)  ava.Scenario)	PASSED ava.Scenario)  PASSED  PASSED  PASSED  PASSED  PASSED  PASSED  PASSED  PASSED  PASSED  PASSED

15 And find the invoice reference number for cancelled DebitNote is available at the billing queue  org openga selenium. Elementhotniteractable.Exception: element not interactable. (Session info: chrome=99.0.4844.51) Build info: version: 4.0.0-e1.7 revision: *DSSI Loads System info: thorse: INNUVADPOIT4547, jp. 10.147.111; os. name: Windows 10; os. arch: 'amdid', os. version: '10.0'; java version: '17.0.1' Driver info: org openga, selenium.chime.ChromeDriver Command: [9a78ac562244aa265446787686718]. (citiclement [id-3468e21a:201e-492e-5bed-70567/c5043)] Capabilities (acceptinsecure Certs: false, browserName: chrome.browserVersion: 99.0.4844.51; chrome: (chromedriverVersion: '99.0.4783.80 (7f0488e8bb.008, userplanabir: C. 'Usersvilint)C-1-4appb.atal), pogic homo-bplons: (deborder/verVersion: '99.0.4783.80 (7f0488e8bb.008, userplanabir: (deborder/verversion: '99.0.4783.80 (7f0488e8bb.008, userplanabir: (deborder/verversion: '99.0.4783.80 (7f0488e8bb.008, userplanabir: (deborder/verversion: '99.0.4783.80 (7f0488e8bb.008, userplanabir: (deborder/verversion: '99.0.4783.80 (7f048e8bb.008, userplanabir: (deborder/verversion: '99.0.4788.80 (7f048e8bb.008) userplanabi	#	Step / Hook Details	Status	Duration
org.openga.selenium.ElementNotinteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5512cbds' System info: host: 'INMUVADPD414547', ip: '10.1.47.111', os name: 'Windows 10', os, arch', 'amd64', os. version: '10.0', java version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromePriver Command: Ba76a2b5c2244aa286d4787c887818, clickElement (id-3d48e21a-201c-492e-b8de-7f0c5r0f0c83)] Capabilities (acceptinsecurcents: false, browserhame: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80', (70488e8b8od8, userDatabl:: c.). goog-chrome-Options: (debuggerAddress: localhost:59310), javascriptEnablet: true, eheworkConnectionEnabled: false, pageLoadStrategy, normal, platform: WiNDOWS, platformName: WINDOWS, proxy. Proxy(), se.cdp: ws://localhost:59310/devtoc, secciptversion: 99.0.4844.51, setWindowRect: true, strictFileInteractablity: false, timeoust: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavor: dismiss and notify, webauthnextension.credBlob: true, webauthnextension.largeBlob: rue, webauthnextension.largeB		************************************		
"\" \0.0-rc.1'; revision: bc5511cbda System into: host: "IMMUXADP0.14547", ip: 1.01.47.111", os.name: Windows 10.; os.arch: 'amd64', os. version: 10.0', java-version: 17.0.1 brive into: org. openga.selenium.rhome.Chrome-Driver Command: lga76a2b5c2244aa285d4a1787c887818, clickElement (id=3d48e21a-201e-492e-b8de-170c57cl0c83). Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chrome-driverVersion: 99.0.4758.80 (70488e8ba0d8 userDatabir: c-UsersININDOC-11AppDatatu), goog.chrome-Options: (debuggerAddress: localhost:59310), javascriptEnablet: true, networkComectionEnablet: false, page.DadStratepy: normal, platform: WINDOWS, prosy: Proxy(), sec.dp: ws://localhost:59310/devtoo, sec.dp/Version: 99.0.4844.51, setWindowRect: true, strict:FileInteractability: false, timeouts: (implicit: 0, pageLoad: 30000), scrib: 30000), windandel@PromptBehavior: dismiss and notify, webauthnextension.largeBlob: true, webauthnextension.largeBlob: tr	15	And find the invoice reference number for cancelled DebitNote is availabe at the billing queue	FAILED	1.091 s
		org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: 14.0.0-c-1; revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '10.0'		
LINETED STED CONDUCTING ON PROPERTIES AND CONTRACTOR CO		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s


#	Step / Hook Details	Status	Duration
	screenshot		
	**************************************		

EXPANDED SECTION -- 10 --







EXPANDED SECTION --- 12 --




EXPANDED SECTION --- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

