

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 14.896 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	10	10	0	0	1 m 14.892 s
		Purchases					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 1 m 14.896 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 3:51:26.265 PM	1 // 3:52:41.161 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create a contract for an active vendor with expense type Purchases

PASSED DURATION - 1 m 14.892 s	20 -		<u> </u>	- + -				-		;			Steps		
/ 3:51:26.269 PM // 3:52:41.161 PM /	15 -							-					Total - 10		
AR/AP Module	10 -	-	-	-				-				-	Pass - 10	10	
@AR/AP @KUBS AR/AP UAT 001 001 TC 001 01	0 -									<u> </u>			Skip - 0		,
@KOBS_AK/AK_OAT_001_001_TC_001_01			1	2	3	4	5	6	7	8	9	10			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	20.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
	The State Square Annual		
2	And user should navigate to accounts payable menu	PASSED	3.058 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		


3 When click on eye button of vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - ste	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AA And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.366 s PASSED 0.127 s		Marie and April		
screenshot 4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Comparison of the passed of the p	3	When click on eye button of vendor contract	PASSED	0.570 s
4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.366 s PASSED 0.127 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.962 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.636 s PASSED 0.102 s 0.293 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.636 s PASSED 0.102 s 0.293 s				
Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.366 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.127 s	4	And click on add button to create contract	PASSED	1.519 s
5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.366 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.37 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.636 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.366 s PASSED 0.293 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.366 s PASSED 0.293 s		ACCUTO TO		
Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.127 s	5	And user update the data set ID for vendor contract	PASSED	0.002 s
6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.127 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.366 s 0.127 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.127 s		ABSTON Value Age As Associate Age Associate Age Ag		
	6	And Fill the required fields to create contract	PASSED	21.366 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
		screenshot		

AMENTO 140 00 lpgs: - local local - 200 00 00 00 00 00 00 00 00 00 00 00 00	
7 And Save the Record from maker PASS	SED 0.165 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	SED 0.213 s
screenshot	
ASSETTION TATE OF THE PROPERTY OF THE PROPERT	
8 Then click on the Notification icon PASS	SED 1.970 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	0.293 s
screenshot	
ACRETICO State of the control of th	
9 Then store the Reference ID and open the vendor contract record PASS	SED 5.666 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SED 0.292 s
screenshot	
10 Then click submit and enter remark for vendor contract PASS	6.704 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SED 0.206 s


DETAILED SECTION -- 7 --

	Duration


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

