# Cucumber Report

| *Start : Mar 10, 12:38:23.926 pm* | *End : Mar 10, 12:38:48.566 pm* | *Duration : 24.640 s* |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 15<br>FAILED - 1<br>SKIPPED - 1 |



Features: 1 — Pass % 0 %



Scenarios: 1 — Pass % 0 %



Steps: 17 — Pass % 88 %

**# of Scenarios**

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | *Check the Functionality of AR/AP Module* | 1 | 0 | 1 | 0 | 24.640 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the Functionality of AR/AP Module | Net payable amount is correctly calculated & displayed | 17 | 15 | 1 | 1 | 24.635 s |

## (F)- Check the Functionality of AR/AP Module

| FAILED | DURATION - 24.640 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 17 | |
| / 12:38:23.926 pm // 12:38:48.566 pm / | | Pass - 0 | 1 | Pass - 15 | 17 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |

## (S)- Net payable amount is correctly calculated & displayed

| FAILED | DURATION - 24.635 s | | Steps | |
|---|---|---|---|---|
| / 12:38:23.931 pm // 12:38:48.566 pm / | | | Total - 17 | |
| Check the Functionality of AR/AP Module | | | Pass - 15 | 17 |
| @KUBS_AR_AP_UAT_004_007_TC_03 | | | Fail - 1 | |
| | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate The Azentio Url | PASSED | 11.799 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.135 s |
| | screenshot | | |
| |  | | |
| 2 | Then Choose the second Tab Segment | PASSED | 0.363 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And Click On Main module Accounts Receivable | PASSED | 0.117 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.195 s |
| | screenshot | | |
| |  | | |
| 4 | Then Click on Accounts Receive Advances Eye Icon | PASSED | 0.383 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.289 s |
| | screenshot | | |
| |  | | |
| 5 | And Click On Search Icon | PASSED | 0.136 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.216 s |
| | screenshot | | |
| |  | | |
| 6 | Then Enter Advance to employee and Active Value In Advance Status | PASSED | 0.278 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then Click on Table Row First Eye Icon | PASSED | 0.128 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.394 s |
| 8 | And Get The Business Partner and Advance Number | PASSED | 0.123 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.140 s |
| 9 | And Click On Main module Accounts payable | PASSED | 0.114 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.200 s |
| 10 | Then Click sub module Payment settlement Eye Icon | PASSED | 0.183 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot | PASSED | 0.404 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | And Click Add icon button | PASSED | 0.215 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.206 s |
| | screenshot | | |
| |  | | |
| 12 | Then Enter payment option | PASSED | 0.388 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.164 s |
| | screenshot | | |
| |  | | |
| 13 | And Give stored Business partner Name | PASSED | 0.274 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
| | screenshot | | |
| |  | | |
| 14 | Then Choose value date as System current date | PASSED | 1.971 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.145 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 15 | And find the Advance reference number and Net Adjustable value in the billing queue | PASSED | 1.360 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.163 s |
| | screenshot | | |
| |  | | |
| 16 | Then Click the Checkbox As Tick | FAILED | 0.018 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'ADV_75_732022')]//ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell[3]//ion-checkbox"}   (Session info: chrome=99.0.4844.51) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [abe4d4528de65e0770829568654f10d2, findElement {using=xpath, value=//div[contains(text(),'ADV_75_732022')]//ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell[3]//ion-checkbox}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53776}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53776/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: abe4d4528de65e0770829568654f10d2<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.click_the_checkbox_as_tick(ARAP_AccountsReceivable_AccountsPayable.java:1392)<br>at ?.Click the Checkbox As Tick(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:617)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.134 s |
| 17 | And Verify the Net payable amount is correctly calculated & displayed | SKIPPED | 0.001 s |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Net payable amount is correctly calculated & displayed | |
| (F) Check the Functionality of AR/AP Module | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Net payable amount is correctly calculated & displayed | |
| (F) Check the Functionality of AR/AP Module | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)<br><br><br>(S) Net payable amount is correctly calculated & displayed<br><br><br>(F) Check the Functionality of AR/AP Module |  |
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)<br><br><br>(S) Net payable amount is correctly calculated & displayed<br><br><br>(F) Check the Functionality of AR/AP Module |  |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Net payable amount is correctly
calculated & displayed

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Net payable amount is correctly
calculated & displayed

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Net payable amount is correctly calculated & displayed

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Net payable amount is correctly calculated & displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Net payable amount is correctly
calculated & displayed

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Net payable amount is correctly
calculated & displayed

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Net payable amount is correctly
calculated & displayed

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Net payable amount is correctly
calculated & displayed

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Net payable amount is correctly calculated & displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Net payable amount is correctly calculated & displayed

(F) Check the Functionality of AR/AP Module

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Net payable amount is correctly calculated & displayed | |
| (F) Check the Functionality of AR/AP Module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Net payable amount is correctly calculated & displayed | |
| (F) Check the Functionality of AR/AP Module | |