


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	32.834 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Balance sheet post Debit Note is cancelled	16	16	0	0	32.804 s
	<u>Module</u>						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 32.834 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 9:53:24.653 am) // 9:53:57.487 am /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify Balance sheet post Debit Note is cancelled




#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.456 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	■ Proceedings Proceedings Procedings Procedings Process Process		
2	Then Choose the second Tab Segment	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		

3 And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Cancelled Value In Debit Not Status AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.367 s PASSED 0.367 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Cancelled Value In Debit Not Status PASSED 0.218 s 0.218 s 0.218 s 0.218 s 0.218 s 0.218 s 0.224 s 0.224 s 0.225 s 0.220 s		100 100		
Screenshot Scr	3	And Click On Main module Accounts Receivable	PASSED	0.105 s
Then Click on Accounts Receivable Debit Note Eye Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Ad Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Ad Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.j		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Cancelled Value In Debit Not Status PASSED O.367 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Cancelled Value In Debit Not Status PASSED 0.294 s		Prodes ⊈ ⊕ II		
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The Enter Cancelled Value In Debit Not Status PASSED 0.120 s 0.209 s 0.209 s 0.367 s	4	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.416 s
5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The Inter Cancelled Value In Debit Not Status PASSED O.367 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Cancelled Value In Debit Not Status PASSED 0.209 s 0.209 s 0.209 s			_	
Screenshot Then Enter Cancelled Value In Debit Not Status PASSED 0.367 s	5	And Click On Search Icon	PASSED	0.120 s
6 Then Enter Cancelled Value In Debit Not Status PASSED 0.367 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
6 Then Enter Cancelled Value In Debit Not Status PASSED 0.367 s		screenshot		
AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.iava.Scenario) PASSED 0.204 s	6	Then Enter Cancelled Value In Debit Not Status	PASSED	0.367 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
screenshot		screenshot		


Ten Click on Table Row First Eye Icon	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Get the Branch Name in walt AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Get the Transaction Date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Third Segment report Icon PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Third Segment report Icon PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Third Segment report Icon PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.365 s PASSED O.177 s				
screenshot 8 And Get the Branch Name in wait AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Get the Transaction Date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Get the Transaction Date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.268 s 0.268 s 0.268 s 0.268 s 0.268 s 0.268 s	7	Then Click on Table Row First Eye Icon	PASSED	0.126 s
After_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Third Segment report Icon After_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.095 s AFTER_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) To Then Third Segment report Icon AFTER_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.005 s PASSED O.005 s O.005 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
8 And Get the Branch Name in wait AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Get the Transaction Date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.005 s PASSED O.005 s PASSED O.133 s Then Get the Transaction Date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.365 s PASSED O.365 s PASSED O.367 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.268 s 9 Then Get the Transaction Date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s PASSED 0.365 s PASSED 0.177 s		© 10-20 10-		
Screenshot 9 Then Get the Transaction Date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s PASSED 0.177 s	8	And Get the Branch Name in wait	PASSED	0.095 s
9 Then Get the Transaction Date PASSED 0.005 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.177 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.133 s 0.137 s		# 0 1000 1000 1000 1000 1000 1000 0 0 0		
Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.177 s	9	Then Get the Transaction Date	PASSED	0.005 s
10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.177 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.177 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s		The state of the		
	10	Then Third Segment report Icon	PASSED	0.365 s
screenshot			PASSED	0.177 s
		screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on Financial Reporting module	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
12	Then Click on Balance sheet Sub module	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.348 s
13	And Give Getted Branch code	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
	SO DE TOPS - ANALOGO SONO DE TOPS - ANALOGO S		
14	Then Give Getted Transaction Date	PASSED	2.656 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		


DETAILED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

