

Cucumber Report

28-Feb-2022, 10:36:51 am

Start : Feb 28, 10:36:24.938 am

End : Feb 28, 10:36:49.825 am

Duration : 24.887 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 33







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	24.887 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Approving advance against PO	44	10	1	33	24.879 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 24.887 s	Scenarios		Steps	
/ 10:36:24.938 am // 10:36:49.825 am /		Total - 1		Total - 44	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 33	


(S)- Approving advance against PO


<div>FAILED</div> <div>DURATION - 24.879 s</div>			<div>Steps</div> <div>Total - 44</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 33</div>	
/ 10:36:24.946 am // 10:36:49.825 am /				
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_004_003_TC_01				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts Receivable	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot 		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot 		
5	And Click Add icon button	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot 		
6	Then Enter the Receivable Name	PASSED	0.408 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And Enter Business partner Value	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			
8	Then Enter the PO Number	PASSED	0.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
9	And Enter Payment mode	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			
10	Then Enter Amount value	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p>And Choose Needed Currency</p> <p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [47f459eb34fdd2232f6369cf51ef35bf, isElementDisplayed {id=64cdb237-a2f9-46b1-8552-cdc2aa50732c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52408}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52408/devtoo..., se.cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (47f459eb34fdd2232f6369cf51ef35bf)] -> xpath: //span[contains(text(),'INR')]] Session ID: 47f459eb34fdd2232f6369cf51ef35bf</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) </pre>	FAILED	0.289 s


#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditionss.java:656)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElement(WaitHelper.java:79)</p> <p>at stepdefinitions.ARAP_CancellationOfGRN.choose_needed_currency(ARAP_CancellationOfGRN.java:977)</p> <p>at ?.Choose Needed Currency(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:180)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.218 s
12	Then Choose cost center	SKIPPED	0.001 s
13	And Enter Description value	SKIPPED	0.000 s
14	Then Save the Advance Record	SKIPPED	0.001 s
15	Then Goto The Notification Icon	SKIPPED	0.000 s
16	And Store the Referance Id and Open the Record	SKIPPED	0.001 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
18	Given Navigate as a Reviewer	SKIPPED	0.001 s
19	Then click on Notify icon	SKIPPED	0.000 s
20	And Click First record Action icon	SKIPPED	0.000 s
21	Then Approve the record in Reviewer	SKIPPED	0.000 s
22	And Give Remark and Submit	SKIPPED	0.000 s
23	Given Navigate as a Checker	SKIPPED	0.000 s
24	Then Click module security management	SKIPPED	0.000 s
25	And Claim the Record in Checker	SKIPPED	0.000 s
26	Then Goto the Checker notification Icon	SKIPPED	0.000 s
27	And Click the First Action Icon	SKIPPED	0.000 s
28	Then Approve the Record in checker stage	SKIPPED	0.000 s
29	And Give the Remark and Submit it	SKIPPED	0.000 s
30	Given Navigate The Azentio Url	SKIPPED	0.000 s
31	Then Choose the second Tab Segment	SKIPPED	0.000 s
32	And Click On Main module Accounts Receivable	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
33	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
34	And Click On Search Icon	SKIPPED	0.000 s
35	Then Enter Active Value In Advance Status	SKIPPED	0.001 s
36	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
37	And Get The Business Partner and Advance Number	SKIPPED	0.001 s
38	And Click On Main module Accounts payable	SKIPPED	0.001 s
39	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
40	And Click Add icon button	SKIPPED	0.001 s
41	Then Enter payment option	SKIPPED	0.000 s
42	And Give stored Business partner Name	SKIPPED	0.001 s
43	Then Choose value date as System current date	SKIPPED	0.000 s
44	And find the Advance reference number for Active Advances is available at the billing queue	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	Business Partner/Employee Name
x		
Adavace Number	* Date 19-Oct-2022	Po Number
* Payment Mode	* Amount	Cost Center
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch	x	Advance Against PO
Adavace Number	* Date 19-Oct-2022	Po Number
* Payment Mode	* Amount	Cost Center
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number
* Payment Mode	* Amount	Cost Center
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number
		3-Agency-15-PO-2 x
* Payment Mode	* Amount	Cost Center
		x
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode Cheque x	* Amount	Cost Center FINANCE x
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode Cheque x	* Amount 5,000.00	Cost Center FINANCE x
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode Cheque x	* Amount 5,000.00	Cost Center FINANCE x
* Description	* Status Active	

USD
SGN
SGD
INR

22 Appro... 11 Messa...

Home Preference