

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Checking the Bank Reconcilliation functionality | 1 | 0 | 1 | 0 | 46.246 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------------|---|---|---|---|---|----------|
| 1 | Checking the Bank Reconcilliation | Check below entries are displayed for unmatched records | 8 | 7 | 1 | 0 | 46.238 s |
| | functionality | from uploaded bank statement. | | | | | |

DETAILED SECTION -- 4 --

(F)- Checking the Bank Reconcilliation functionality

| FAILED | DURATION - 46.246 s | Scenarios | | Steps | |
|-----------------|------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 8 | |
| / 2:37:00.159 I | PM // 2:37:46.405 PM / | Pass - 0 | 1 | Pass - 7 | 8 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Check below entries are displayed for unmatched records from uploaded bank statement.


| FAILED DURATION - 46.238 s | 20 - Steps | |
|---|-----------------|---|
| / 2:37:00.167 PM // 2:37:46.405 PM / | 15 - Total - 8 | |
| | 10 Pass - 7 | 8 |
| Checking the Bank Reconcilliation functionality | 5 | |
| @KUBS_TAX_UAT_002_003_TC_001 | 0 - Skip - 0 | |
| | 1 2 3 4 5 6 7 8 | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 22.968 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.324 s |
| | screenshot | | |
| | DESCRIPTION DESCRIPTION OF THE PROPERTY OF THE | | |
| 2 | Then select data set ID for unmatched records from uploaded bank statement | PASSED | 0.373 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.535 s |
| | screenshot | | |
| | RESTRICT RESTRI | | |

| 3. And user should navigate to bank recon menu PASSED 0.884 s AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s screenshot PASSED 0.273 s 4 When click on eye button of bank reconciliation PASSED 0.273 s AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) PASSED 0.273 s 5 And click on add button for bank reconciliation PASSED 0.273 s 4 FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.281 s 5 And Fill the required fields and upload bank statement for bank reconciliation PASSED 0.281 s 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 0.266 s 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 0.266 s 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 0.266 s 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 0.266 s 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 0.266 s 7 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) < | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| screenshot ### When click on eye button of bank reconciliation ### AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ### AFTER_STEP_STEP_STEP_STEP_STEP_STEP_STEP_STEP | 3 | And user should navigate to bank recon menu | PASSED | 0.884 s |
| A When click on eye button of bank reconciliation | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| 4 When click on eye button of bank reconciliation PASSED 0.273 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED occesshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.423 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.385 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s Then Save and click on process PASSED 0.425 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.425 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) | | Sacrottical Sacrot | | |
| screenshot After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.819 s After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.425 s | 4 | When click on eye button of bank reconciliation | PASSED | 0.273 s |
| 5 And click on add button for bank reconciliation PASSED 0.381 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 5.958 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.818 s PASSED 0.425 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.423 s |
| After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button for bank reconciliation After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Save and click on process After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.818 s PASSED 0.425 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.818 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.381 s | | Manufacture and the state of th | | |
| Screenshot And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.818 s PASSED 0.425 s | 5 | And click on add button for bank reconciliation | PASSED | 1.187 s |
| And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.818 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.425 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.381 s |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.818 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.818 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s | | Secretary Secr | | |
| Screenshot 7 Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.425 s | 6 | And Fill the required fields and upload bank statement for bank reconciliation | PASSED | 5.958 s |
| 7 Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.425 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.266 s |
| 7 Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.425 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.425 s | | # Part Normalization Part No | | |
| | 7 | Then Save and click on process | PASSED | 2.818 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.425 s |
| | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | ACCIONO DE ACCION | | |
| 8 | Then Verify the Unmatch Record Tab must display all the entries for unmatched records from uploaded bank statement | FAILED | 3.798 s |
| | java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.BankRecon_BankReconciliation. verify_the_unmatch_record_tab_must_display_all_the_entries_for_unmatched_records_from_uploaded_bank_statement(BankRecon_BankReconciliation.java:772) at ?.Verify the Unmatch Record Tab must display all the entries for unmatched records from uploaded bank statement(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/BankRecon_BankReconciliation.feature:129) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.211 s |
| | Screenshot ***Common Common | | |

EXPANDED SECTION -- 7






(F) Checking the Bank Reconcilliation

functionality

EXPANDED SECTION -- 9 --



EXPANDED SECTION --- 10 --

