Cucumber Report

| **Start : Mar 25, 2:12:12.188 PM**	**End : Mar 25, 2:13:01.771 PM**	**Duration : 49.583 s**
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 20

#	Feature Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	1	0	1	0	49.583 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	Return inventories unwanted by branch to issuers	35	14	1	20	49.577 s

## (F)- To verify user can see the GL report for stock return to vendors

| FAILED	DURATION - 49.583 s	Scenarios		Steps	
/ 2:12:12.188 PM // 2:13:01.771 PM /		Total - 1		Total - 35	
		Pass - 0	1	Pass - 14	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

(S)- Return inventories unwanted by branch to issuers

FAILED	DURATION - 49.577 s		Steps	
/ 2:12:12.194 PM // 2:13:01.771 PM /			Total - 35	
To verify user can see the GL report for stock return to vendors			Pass - 14	35
			Fail - 1	
@KUBS_INV_MGMT_UAT_005_StockReturn			Skip - 20	

#	Step / Hook Details	Status	Duration
1	Given Azentio Maker user url	PASSED	19.893 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
2	Then Click on Second icon page	PASSED	0.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click Inventory Management module	PASSED	0.395 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot		
4	And Click on stock return from branch SubModule Eye icon	PASSED	0.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
5	Then Click on stock return from branch Add icon	PASSED	0.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
6	And Click on Request Referance No code	PASSED	0.784 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Issue Referance No code	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
8	And Click on item code	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
9	And Enter Return Quantity Stock value	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
10	Then Click on Return Type and Choose Type	PASSED	0.487 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Click on Return Reason and Choose Type	PASSED	0.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
12	Then Save the Inventory Stock Record	PASSED	3.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
13	And goto the maker Notification icon	PASSED	0.924 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		
14	Then Click Submit icon to Inventory Record	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And Give Remark and submit Inventory field	FAILED	1.678 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-qwb-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 437). Other element would receive the click: <ion-col _ngcontent-qwb-c290="" size-lg="12" size-md="12" size-sm="12" size="12" ng-reflect-size="12" class="md hydrated" style="flex: 0 0 calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e10166843d686da2ce0522c26808d24b, clickElement {id=9477fc73-82bb-4247-a9a2-dec6dd088386}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58857}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58857/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e10166843d686da2ce0522c26808d24b)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID: e10166843d686da2ce0522c26808d24b
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.InventoryManagament.give_remark_and_submit_inventory_field(InventoryManagament.java:1178)
	    at ?.Give Remark and submit Inventory field(file:///C:/Users/inindc00082/git/		

#	Step / Hook Details	Status	Duration
	AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:75) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.134 s
16	Given Login As Reviewer user	SKIPPED	0.000 s
17	And Goto the Reviewer Notification	SKIPPED	0.001 s
18	Then Find submitted Record from maker End and open the Record	SKIPPED	0.000 s
19	And Approve the Record from Reviewer End	SKIPPED	0.000 s
20	Then Enter The Remark and submit from Reviewer End	SKIPPED	0.001 s
21	Given Login As Checker user	SKIPPED	0.000 s
22	Then Click module Security management	SKIPPED	0.000 s
23	And Click Sub module open Pool	SKIPPED	0.001 s
24	And Claim the Record Which submit from Reviewer	SKIPPED	0.000 s
25	Then Goto the Checker Notification	SKIPPED	0.000 s
26	And Find submitted Record from Reviewer End and Open the Record	SKIPPED	0.001 s
27	Then Get Item Description value	SKIPPED	0.000 s
28	And Approve the Record from Checker End	SKIPPED	0.000 s
29	Then Enter the Remark and submit from checker End	SKIPPED	0.001 s
30	Given Azentio Maker user url	SKIPPED	0.000 s
31	Then Click on Inventory Maintance module	SKIPPED	0.000 s
32	And click on Master Item eye icon	SKIPPED	0.000 s
33	Then click on the search icon	SKIPPED	0.000 s
34	And Give Item description value and Click Edit icon	SKIPPED	0.000 s
35	When validate the quantity of the Item	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors