Cucumber Report

Start : Jan 20, 3:03:17.233 PM	End : Jan 20, 3:04:46.825 PM	Duration : 1 m 29.592 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 15

Pass % : 0 %

Pass % : 0 %

Pass % : 93 %

#	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	0	1	0	1 m 29.592 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	Create Custodian Limit	15	14	1	0	1 m 29.579 s

## (F)- to verify user can able to do transaction in petty cash module

| FAILED	DURATION - 1 m 29.592 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 3:03:17.233 PM // 3:04:46.825 PM /		Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Create Custodian Limit

FAILED	DURATION - 1 m 29.579 s		Steps	
/ 3:03:17.246 PM // 3:04:46.825 PM /			Total - 15	
to verify user can able to do transaction in petty cash module			Pass - 14	15
			Fail - 1	
@KUBS_PC_UAT_001_003			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	36.508 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.934 s
	screenshot		
2	Then Click on Pettycash Configuration	PASSED	1.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on Custodian limit module	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
	screenshot		
4	Then Click on Add Icon in Petty cash	PASSED	1.892 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
5	Then Get the data set id for custodian limit in petty cash	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
6	And Enter user name in the Custodian limit	PASSED	0.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
7	And give maximum limit	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And give replenish limit	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
9	And enter the currency type	PASSED	0.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
10	Then save Record in Petty cash	PASSED	22.891 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
11	Then Goto The Notification Icon	PASSED	6.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.540 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And Store the Referance Id and Open the Record for Custodian Limit in petty cash	PASSED	2.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
13	Then Click submit button and Enter Remark submit it	PASSED	1.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
14	Then Get the reviewer id for Custodian limit and store it in excel	PASSED	2.051 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.498 s
	screenshot		
15	Then logout from maker	FAILED	1.840 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-twx-c278="" class="md button button-clear in-toolbar in-toolbar-color ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1861, 28). Other element would receive the click: <div role="alert" class="ng-tns-c136-1 toast-message ng-star-inserted" aria-label="Record approved successfully, and current stage is REVIEWER with status PENDING from 1002436." style="">...</div> (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.126', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [af3e7beb6e19c22f029ac94b19cbf312, clickElement {id=995b259a-7862-4c7a-b590-82738a500a2e}] Capabilities {acceptInsecureCerts: false,		

#	Step / Hook Details	Status	Duration

	browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (af3e7beb6e19c22f029ac94b19cbf312)] -> xpath: //ion-header/ion-toolbar[1]/ion-buttons[2]/ion-button[4]] Session ID: af3e7beb6e19c22f029ac94b19cbf312
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	   at stepdefinitions.BUDGET_UAT_BudgetDefinition.logout_from_maker(BUDGET_UAT_BudgetDefinition.java:459)
	   at ?.logout from maker(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/PettyCash_UAT.feature:119)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.376 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

Custodian Limit View

Actions	User Name	Max Limit	Float Limit	Auto Limit	Availed Limit	Status	Create Date	Created By	Modified Date	Modified By
👁 ✏	Mokshan Nhoir	10000	200			Active	20-Jan-2023	admin		
👁 ✏	Kajal Bhoir	10000	200			Active	19-Jan-2023	admin		
👁 ✏	Aniket	10000	200			Active	19-Jan-2023	admin		
👁 ✏	Amruta Chaudhari	10000	200			Active	18-Jan-2023	admin		
👁 ✏	Krutika Madhavi	10000	200			Active	11-Jan-2023	admin		
👁 ✏	Swapnil	5000000	10000			Active	10-Jan-2023	admin		
👁 ✏	Twinkle	10000	200			Active	25-Aug-2022	admin		
👁 ✏	Rajesh	10000	200			Active	05-Aug-2022	admin		
👁 ✏	LE FOUR CHECKER	400000	100000		100000	Active	05-Aug-2022	admin		

11 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) to verify user can able to do
transaction in petty cash module