
Start: Mar 31, 8:06:16.598 PM End: Mar 31, 8:06:52.002 PM **Duration: 35.404 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 11 SKIPPED - 0 SKIPPED - 0 SKIPPED - 30 42 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 26 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	35.404 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement	Check the impairement of asset (ammendent)	42	11	1	30	35.398 s
	module in fixed asset module						

**DETAILED SECTION** 

## (F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 35.404 s	Scenarios		Steps	
		Total - 1		Total - 42	
/ 8:06:16.598 F	PM // 8:06:52.002 PM /	Pass - 0	1	Pass - 11	42
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	


## **(S)-** Check the impairement of asset (ammendent)



#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	14.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
2	And click on fixed asset main module	PASSED	0.752 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		

AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   AFTER_STEP_stepdefi	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then search the asset reference number of ammendent asset is available in list view  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  O.922 s  PASSED  O.140 s  PASSED  O.256 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.302 s  PASSED  O.303 s		Total   Tota		
Screenshot   PASSED   0.922 s	3	And goto asset ammendent module	PASSED	0.252 s
Then search the asset reference number of ammendent asset is available in list view  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.501 s
Then search the asset reference number of ammendent asset is available in list view  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Add click on view button near by asset impairement module  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click on Add Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.140 s  0.413 s  0.256 s  0.256 s  0.302 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  0.323 s				
Screenshot  5 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click on Add Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  PASSED  0.302 s	4	Then search the asset reference number of ammendent asset is availabe in list view	PASSED	0.922 s
And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on Add Icon  And click on Add Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  0.323 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
5 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And click on Add Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And click on Add Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.256 s  0.302 s  PASSED  0.302 s  PASSED  0.302 s  0.303 s		1		
Screenshot  6 And click on Add Icon  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.302 s  0.323 s	5	And click on view button near by asset impairement module	PASSED	0.413 s
6 And click on Add Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  0.323 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
6 And click on Add Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  0.323 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.323 s		1		
	6	And click on Add Icon	PASSED	0.302 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
		screenshot		


7 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 And choose the asset reference number of ammendent asset AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And choose the asset Item no  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  5 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  6 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  7 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  9 AASSED 0.133 SCENTRATION  AASSED 0.224 s  0.224 s  0.225 s  0.225 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  8				
screenshot  And choose the asset reference number of ammendent asset  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STE	7		PASSED	0.119 s
And choose the asset reference number of ammendent asset  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED 0.1020 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  And choose the asset Item no  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AND And choose the transcation type as impairment  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdef		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
And choose the asset reference number of ammendent asset  And choose the asset reference number of ammendent asset  Art ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And choose the asset Item no  Art ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.538 s  PASSED  O.525 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 And choose the asset Item no  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And choose the transcation type as impairment  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.224 s  0.210 s  PASSED  0.538 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.538 s		No.		
screenshot  9 And choose the asset Item no  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And choose the asset Item no  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 And choose the transcation type as impairment  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.538 s  PASSED  0.252 s	8	And choose the asset reference number of ammendent asset	PASSED	1.020 s
9 And choose the asset Item no  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And choose the transcation type as impairment  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.224 s  0.210 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
9 And choose the asset Item no PASSED 0.224 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.538 s  PASSED 0.525 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And choose the transcation type as impairment  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.210 s  PASSED  0.238 s  PASSED  0.252 s		Number   N		
Screenshot  10 And choose the transcation type as impairment  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.538 s  0.252 s	9	And choose the asset Item no	PASSED	0.224 s
10 And choose the transcation type as impairment  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.252 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
10 And choose the transcation type as impairment  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.538 s  0.252 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.252 s		No.		
	10	And choose the transcation type as impairment	PASSED	0.538 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
		screenshot	]	




DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
21	Then click on notification button	SKIPPED	0.000 s
22	And select our record in notification records using reference ID	SKIPPED	0.000 s
23	Then Approve the record from reviewer	SKIPPED	0.000 s
24	And enter the remark in alert	SKIPPED	0.001 s
25	Then click on submit in alert	SKIPPED	0.000 s
26	Then verify the approval status of the record	SKIPPED	0.000 s
27	And logout from reviewer	SKIPPED	0.000 s
28	Then login as a checker	SKIPPED	0.001 s
29	And click on security management menu in checker	SKIPPED	0.000 s
30	Then click on action button under security management menu	SKIPPED	0.000 s
31	And select our record and clime using reference ID	SKIPPED	0.000 s
32	Then click on Notification button	SKIPPED	0.000 s
33	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
34	And click on approve button in checker stage	SKIPPED	0.001 s
35	Then give alert remark	SKIPPED	0.000 s
36	Then click on submit button on alert	SKIPPED	0.000 s
37	And verify the record got approved from checker	SKIPPED	0.000 s
38	Then logout from checker	SKIPPED	0.000 s
39	And login with Maker ID	SKIPPED	0.001 s
40	And click on fixed asset main module	SKIPPED	0.000 s
41	And click on view button near by asset impairement module	SKIPPED	0.000 s
42	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.001 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

