Cucumber Report

Start : Feb 18, 1:21:38.347 pm	End : Feb 18, 1:22:19.712 pm	Duration : 41.365 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 19

1

1

33

Pass %

0 %

Pass %

0 %

Pass %

39 %

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of the Fixes Asset Return*	*1*	*0*	*1*	*0*	*41.365 s*

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixes Asset Return	Check if the replaced asset can be returned to its vendor	33	13	1	19	41.355 s

(F)- Check the Functionality of the Fixes Asset Return

FAILED	DURATION - 41.365 s	Scenarios		Steps	
		Total - 1		Total - 33	
/ 1:21:38.347 pm // 1:22:19.712 pm /		Pass - 0	1	Pass - 13	33
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

(S)- Check if the replaced asset can be returned to its vendor

FAILED	DURATION - 41.355 s		Steps	
			Total - 33	
/ 1:21:38.356 pm // 1:22:19.711 pm /			Pass - 13	33
Check the Functionality of the Fixes Asset Return			Fail - 1	
@KUBS_FAT_UAT_007_007			Skip - 19	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio url	PASSED	11.864 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.199 s
	screenshot		
2	Then Click Second Segmant Icon	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click main module fixed Asset Module	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
4	Then Asset Undertaken Store the Referance No	PASSED	0.571 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
5	Then Asset Return Click on Eye Icon	PASSED	10.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
6	And Asset Return Add Icon button	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Give Asset Replacement Referance Number	PASSED	0.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
8	And Select Asset Return Item Number	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
9	Then Click on save button in asset Return	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
10	And Click on Maker Notification icon button	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on Action icon	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
12	And Approve the Asset Return Record	PASSED	2.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
13	Then Enter Remark and click submit button	PASSED	1.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
14	Given Launch the Azentio URL as Reviewer	FAILED	0.853 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [f20086958c4c58a556a0cbb61390d779, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80		

| #	Step / Hook Details	Status	Duration

	(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62181}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62181/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f20086958c4c58a556a0cbb61390d779
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	    at stepdefinitions.KUBS_Login.logintoAzentioappReviewer(KUBS_Login.java:68)
	    at stepdefinitions.FIXEDASSET_AssetReturn.launch_the_azentio_url_as_reviewer(FIXEDASSET_AssetReturn.java:173)
	    at ?.Launch the Azentio URL as Reviewer(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetReturn.feature:55)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.015 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f20086958c4c58a556a0cbb61390d779, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62181}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62181/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f20086958c4c58a556a0cbb61390d779
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
15	And Reviewer Notification icon button	SKIPPED	0.000 s
16	Then Click ACtion submitted record from maker	SKIPPED	0.000 s
17	And Click Approve button from Reviewer End	SKIPPED	0.001 s
18	Then Enter remark then submit Record	SKIPPED	0.000 s
19	Given Launch the Azentio Checker URL	SKIPPED	0.000 s
20	Then Main module Security management	SKIPPED	0.000 s
21	And Sub module open pool Edit icon	SKIPPED	0.000 s
22	Then Claim the record in checker	SKIPPED	0.000 s
23	And Click Checker Notification icon button	SKIPPED	0.000 s
24	Then Action Icon from claim record	SKIPPED	0.002 s
25	And Click Approve icon button	SKIPPED	0.000 s
26	Then Submit the Record from Checker	SKIPPED	0.000 s
27	Given Navigate the Azentio url	SKIPPED	0.000 s
28	Then Click Second Segmant Icon	SKIPPED	0.018 s
29	And Click main module fixed Asset Module	SKIPPED	0.000 s
30	Then Asset Return Click on Eye Icon	SKIPPED	0.000 s
31	And Mouse click on search icon	SKIPPED	0.001 s
32	Then Enter Asset Referance No in that field	SKIPPED	0.001 s
33	When capture the Asset Grid view list	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.075 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f20086958c4c58a556a0cbb61390d779, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80		

#	Step / Hook Details	Status	Duration

	(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62181}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62181/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f20086958c4c58a556a0cbb61390d779
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	   at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	   at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

| | Kastle Universal Banking (Beta) | | | | 19-Oct-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Accounts receivable

Fixed assets

← Asset Return View

Actions		Entity	Branch Code - Name	Asset Ref No	Asset Code	Status	Created By	Create date
👁 ✏		Azentio Software	AZENTMAIN - Azentio N	01-001-Wooden Chair_/	01-001-Wooden Chair	Active	1002435	17-Feb-2022
👁 ✏		Azentio Software	BR0003 - East Zone	01-ASTSBCTGRY001-V	01-ASTSBCTGRY001-V	Active	1002435	17-Feb-2022
👁 ✏		Azentio Software	BR0007 - Andheri Branc	MACHINARY-AIRCOND	MACHINARY-AIRCOND	Active	in00027	17-Feb-2022
👁 ✏		Azentio Software	BR0003 - East Zone	MACHINARY-AIRCOND	MACHINARY-AIRCOND	Active	in00027	17-Feb-2022
👁 ✏		Azentio Software	BR0003 - East Zone	MACHINARY-AIRCOND	MACHINARY-AIRCOND	Active	1002435	17-Feb-2022
👁 ✏		Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	Active	1002435	17-Feb-2022
👁 ✏		Azentio Software	BR0003 - East Zone	ELECTRONICS-LAP001	ELECTRONICS-LAP001	Active	1002435	17-Feb-2022
👁 ✏		Azentio Software	AZENTMAIN - Azentio N	01-001-Table_AZENTM,	01-001-Table	Active	1002435	17-Feb-2022

Asset creation
Asset transfer
Asset undertaking
Asset sale
Asset allocation
Asset de-allocation
Asset return
Asset replacement
Asset impairement
Asset ammendment

50 total

|◀ ◀ 1 2 3 4 5 ▶ ▶|

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

| | Kastle Universal Banking (Beta) | | | 19-Oct-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Accounts receivable

Fixed assets

← Asset Return

Asset creation
Asset transfer
Asset undertaking
Asset sale
Asset allocation
Asset de-allocation
Asset return
Asset replacement
Asset impairement
Asset ammendment

* Asset Reference Number   Asset Code   Asset Description

* Item Number   Asset Value   Total Asset Amount

Item Description

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if the replaced asset can be returned to its vendor (F) Check the Functionality of the Fixes Asset Return	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if the replaced asset can be returned to its vendor (F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be
returned to its vendor

(F) Check the Functionality of the Fixes
Asset Return

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be
returned to its vendor

(F) Check the Functionality of the Fixes
Asset Return

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be
returned to its vendor

(F) Check the Functionality of the Fixes
Asset Return