

# Cucumber Report

Mar 2, 2022, 10:28:34 AM

Start : Mar 02, 10:27:53.665 AM

End : Mar 02, 10:28:30.747 AM

Duration : 37.082 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 4







| # | Feature Name        | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|----------|
| 1 | ACCOUNTS RECEIVABLE | 1 | 0 | 1 | 0 | 37.082 s |






| # | Feature Name        | Scenario Name                                    | T  | P | F | S | Duration |
|---|---------------------|--|----|---|---|---|----------|
| 1 | ACCOUNTS RECEIVABLE | Cancel receipt appropriation through Online Mode | 12 | 7 | 1 | 4 | 37.076 s |





**(F)- ACCOUNTS RECEIVABLE**



|  |                            |           |   |            |   |
|--|----------------------------|-----------|---|------------|---|
| <b>FAILED</b>                          | <b>DURATION - 37.082 s</b> | Scenarios |  | Steps      |  |
| / 10:27:53.665 AM // 10:28:30.747 AM / |                            | Total - 1 |   | Total - 12 |   |
|  |                            | Pass - 0  |   | Pass - 7   |   |
|  |                            | Fail - 1  |   | Fail - 1   |   |
|  |                            | Skip - 0  |   | Skip - 4   |   |


**(S)- Cancel receipt appropriation through Online Mode**

|   |  |   |  |  |
|---|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 37.076 s</div>  |  | <div></div> | <div>Steps</div> <div>Total - 12</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 4</div> | <div></div> |
| <div>/ 10:27:53.671 AM // 10:28:30.747 AM /</div> |  |   |  |  |
| <div>ACCOUNTS RECEIVABLE</div>                    |  |   |  |  |
| <div>@KUBS_AR/AP_UAT_011_002_TC_02</div>          |  |   |  |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user                      | PASSED | 17.906 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.902 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And user should navigate to accounts receivable menu                                | PASSED | 0.697 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.369 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |                  |        |          |
| 3 | When click on eye button of receipts  | PASSED | 0.749 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.526 s  |
|   | screenshot<br>   |        |          |
| 4 | Then get the txn number   | PASSED | 1.413 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.196 s  |
|   | screenshot<br>   |        |          |
| 5 | When click on eye button of receipts reversals  | PASSED | 0.548 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.278 s  |
|   | screenshot<br> |        |          |
| 6 | And click on add button for cancel receipt  | PASSED | 0.455 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                  | PASSED | 0.392 s  |
|   | screenshot  |        |          |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   |   |        |          |
| 7 | And Fill the required fields to cancel the receipts through online mode  | PASSED | 0.599 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.186 s  |
|   | screenshot   |        |          |
|   |   |        |          |
| 8 | Then save the record to cancel the receipts  | FAILED | 1.145 s  |
|   | <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled=""&gt;...&lt;/ion-button&gt; is not clickable at point (1413, 88). Other element would receive the click: &lt;ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"&gt;...&lt;/ion-buttons&gt; (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [838292c8ec4cc0c66e9766cbe5bc374a, clickElement {id=3aea3a56-7afb-4a6d-95b7-679343e0103e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58857}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58857/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (838292c8ec4cc0c66e9766cbe5bc374a)] -&gt; xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: 838292c8ec4cc0c66e9766cbe5bc374a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <pre> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountsReceivable_ReceiptsReversals. save_the_record_to_cancel_the_receipts(AccountsReceivable_ReceiptsReversals.java:107)   at ?.save the record to cancel the receipts(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ AccountsReceivable_ReceiptsReversals.feature:13) * Not displayable characters are replaced by '?'. </pre> |         |          |
|    | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>   | PASSED  | 0.177 s  |
| 9  | And select the record actions button   | SKIPPED | 0.002 s  |
| 10 | Then click on initiate the record  | SKIPPED | 0.000 s  |
| 11 | And record status  | SKIPPED | 0.000 s  |
| 12 | And select the record pencil icon  | SKIPPED | 0.000 s  |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode


(F) ACCOUNTS RECEIVABLE



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode

(F) ACCOUNTS RECEIVABLE





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Receipts View

| Actions | Branch Code - Name  | Txn No         | Receipt Number | Receipt Type | Receipt Amount | Receipt Date | Payer |
|---------|---------------------|----------------|----------------|--------------|----------------|--------------|-------|
|         | AZENTMAIN - Azentio | REC_75_2822022 | RRN2802202214  | Wire         | 5000           | 19-Oct-2022  | SRK   |
|         | AZENTMAIN - Azentio | REC_74_2822022 | RRN2802202213  | Cheque       | 5000           | 19-Oct-2022  | SRK   |
|         | AZENTMAIN - Azentio | REC_73_2822022 | RRN2802202212  | Cheque       | 100            | 19-Oct-2022  | Anand |
|         | AZENTMAIN - Azentio | REC_72_2822022 | RRN2802202211  | Cheque       | 100            | 19-Oct-2022  | Anand |
|         | AZENTMAIN - Azentio | REC_71_2822022 | RRN2802202210  | Cheque       | 100            | 19-Oct-2022  | Anand |
|         | AZENTMAIN - Azentio | REC_70_2822022 | RRN2802202208  | Cheque       | 100            | 19-Oct-2022  | Anand |
|         | AZENTMAIN - Azentio | REC_69_2822022 | RRN2802202207  | Cheque       | 100            | 19-Oct-2022  | Anand |
|         | AZENTMAIN - Azentio | REC_68_2822022 | RRN2802202206  | Cheque       | 100            | 19-Oct-2022  | Anand |

75 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Receipts View

| Actions | Branch Code - Name  | Txn No        | Receipt Number | Receipt Type | Receipt Amount    | Receipt Date      | Payer      |
|---------|---------------------|---------------|----------------|--------------|-------------------|-------------------|------------|
|         | Search Branch Co    | Search Txn No | RRN_100        | Wire         | Search Receipt Ar | Search Receipt De | Search Pay |
|         | AZENTMAIN - Azentio | REC_4_3122021 | RRN_100        | Wire         | 5000              | 08-Sep-2021       | Ravi       |

1 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)  
Receipts  
Receipts reversals  
Cheque deposit  
Update cheque status  
Appropriation  
Appropriation reversals  
Fixed assets  
Inventory management  
Petty cash  
Bank recon

22 Appro... 11 Messa...

### Receipts Reversals

| Actions | Branch Code - Name    | Txn Number       | Receipt Type | Receipt Number  | Receipt Amount | Receipt Date | Payer     |
|---------|-----------------------|------------------|--------------|-----------------|----------------|--------------|-----------|
|         | AZENTMAIN - Azentio N | RECAN_12_2422022 | Cheque       | REC_10_21122021 | 7000           | 24-Feb-2022  | Anant     |
|         | AZENTMAIN - Azentio N | RECAN_11_2422022 | Cheque       | REC_5_3122021   | 20000          | 24-Feb-2022  | Rani      |
|         | AZENTMAIN - Azentio N | RECAN_10_2422022 | Cheque       | REC_34_2422022  | 100            | 24-Feb-2022  | xyzyzy    |
|         | AZENTMAIN - Azentio N | RECAN_9_29122021 | Wire         | REC_23_29122021 | 3500           | 29-Dec-2021  | Suraj     |
|         | AZENTMAIN - Azentio N | RECAN_8_29122021 | Wire         | REC_22_29122021 | 20000          | 29-Dec-2021  | Raj       |
|         | AZENTMAIN - Azentio N | RECAN_7_29122021 | Wire         | REC_6_6122021   | 10000          | 29-Dec-2021  | Shashee   |
|         | AZENTMAIN - Azentio N | RECAN_6_29122021 | Wire         | REC_21_29122021 | 8500           | 29-Dec-2021  | Shashee   |
|         | AZENTMAIN - Azentio N | RECAN_5_22122021 | Wire         | REC_15_22122021 | 742            | 22-Dec-2021  | Ravi Anna |

13 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)  
Receipts  
Receipts reversals  
Cheque deposit  
Update cheque status  
Appropriation  
Appropriation reversals  
Fixed assets  
Inventory management  
Petty cash  
Bank recon

22 Appro... 11 Messa...

### Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: \* Receipt Reference Number

Receipt Amount: Txn Date: Cancellation Remarks

Txn Status

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)  
Receipts  
Receipts reversals  
Cheque deposit  
Update cheque status  
Appropriation  
Appropriation reversals  
Fixed assets  
Inventory management  
Petty cash  
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: \* Receipt Reference Number: REC\_4\_3122021 x

Receipt Amount: Txn Date: No items found

Txn Status:

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cancel receipt appropriation through  
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)  
Receipts  
Receipts reversals  
Cheque deposit  
Update cheque status  
Appropriation  
Appropriation reversals  
Fixed assets  
Inventory management  
Petty cash  
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: \* Receipt Reference Number: REC\_4\_3122021 x

Receipt Amount: Txn Date: No items found

Txn Status: