

Cucumber Report

07-Mar-2022, 3:55:49 pm

Start : Mar 07, 3:21:59.328 pm

End : Mar 07, 3:55:48.061 pm

Duration : 33 m 48.733 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7


FAILED - 1

SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	33 m 48.733 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify accounting entries post payment settlement approval	18	7	1	10	33 m 48.729 s





(F)- Check the Functionality of AR/AP Module



FAILED	DURATION - 33 m 48.733 s	Scenarios		Steps	
/ 3:21:59.328 pm // 3:55:48.061 pm /		Total - 1		Total - 18	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Verify accounting entries post payment settlement approval

<div>FAILED</div> <div>DURATION - 33 m 48.729 s</div>			Steps	
/ 3:21:59.332 pm // 3:55:48.061 pm /			Total - 18	
Check the Functionality of AR/AP Module			Pass - 7	
@KUBS_AR_AP_UAT_004_006_TC_04			Fail - 1	
			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts Receivable	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot 		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot 		
5	And Click On Search Icon	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot 		
6	Then Enter Advance Against PO and Active Value In Advance Status	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And Enter Advance Against Po Pan Number	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot 		
8	Then Click on Table Row First Eye Icon	FAILED	33 m 20.505 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f05afb275d5adc3cc6174a962b6e233, findElement {using=xpath, value=//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\I\NINDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:49200}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49200/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0f05afb275d5adc3cc6174a962b6e233</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.ARAP_CancellationOfGRN.click_on_table_row_first_eye_icon(ARAP_CancellationOfGRN.java:293) at ?.Click on Table Row First Eye Icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:377) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [0f05afb275d5adc3cc6174a962b6e233, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:49200}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49200/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0f05afb275d5adc3cc6174a962b6e233 at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>	FAILED	0.002 s
9	Then Third Segment report Icon	SKIPPED	0.000 s
10	And Choose Enquiry Module	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	Then Click Note iCon near by financial transction	SKIPPED	0.000 s
12	And choose branch code	SKIPPED	0.001 s
13	And click on transaction from date in calender	SKIPPED	0.000 s
14	Then Select from date in calender	SKIPPED	0.000 s
15	And click on transaction to date in calender icon	SKIPPED	0.000 s
16	Then Select To date in calender	SKIPPED	0.000 s
17	And Click View HyperLink	SKIPPED	0.001 s
18	Then Verify Accounting entries post payment settlement approval	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.044 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f05afb275d5adc3cc6174a962b6e233, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:49200}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49200/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0f05afb275d5adc3cc6174a962b6e233</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 21-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on invoice

Accounts receivable (Advances)

Receipts

22 Appro... 11 Messa...

Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Co	Search Receivable	Search ADV Num	Search BP Name	Search Amount	Search Date	Search ADV
	AZENTMAIN - Azentio	Advance Against PO	ADV_74_732022	Bonton Agency	100	20-Oct-2022	Closed
	AZENTMAIN - Azentio	Advance Against PO	ADV_73_432022	DELUXE 001	58654	19-Oct-2022	Active
	AZENTMAIN - Azentio	Advance Against PO	ADV_72_432022	Bonton Agency	500	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio	Advance Against PO	ADV_71_432022	DELUXE 001	58654	19-Oct-2022	Closed
	AZENTMAIN - Azentio	Advance Against PO	ADV_70_232022	suvarana Pvt Ltd	5063	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio	Advance To Employee	ADV_69_132022	Swapnil Gore	58654	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio	Advance To Employee	ADV_68_132022	Swapnil Gore	58654	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio	Advance To Employee	ADV_67_132022	Swapnil Gore	50000	19-Oct-2022	Cancelled

74 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 21-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on invoice

Accounts receivable (Advances)

Receipts

22 Appro... 11 Messa...

Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Co	Search Receivable	Search ADV Num	Search BP Name	Search Amount	Search Date	Search ADV
	AZENTMAIN - Azentio	Advance Against PO	ADV_74_732022	Bonton Agency	100	20-Oct-2022	Closed
	AZENTMAIN - Azentio	Advance Against PO	ADV_73_432022	DELUXE 001	58654	19-Oct-2022	Active
	AZENTMAIN - Azentio	Advance Against PO	ADV_72_432022	Bonton Agency	500	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio	Advance Against PO	ADV_71_432022	DELUXE 001	58654	19-Oct-2022	Closed
	AZENTMAIN - Azentio	Advance Against PO	ADV_70_232022	suvarana Pvt Ltd	5063	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio	Advance Against PO	ADV_64_132022	Bonton Agency	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio	Advance Against PO	ADV_63_2822022	DELUXE 001	50000	19-Oct-2022	Active
	AZENTMAIN - Azentio	Advance Against PO	ADV_62_2822022	DELUXE 001	50000	19-Oct-2022	Active

31 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval

(F) Check the Functionality of AR/AP
Module

The screenshot displays the Kastle Universal Banking (Beta) application interface. The top navigation bar includes the date (21-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and a user profile (ANANT). The left sidebar shows a menu with options like Finance, General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), and Accounts receivable. The main content area is titled 'Advances' and shows a table with columns: Actions, Branch Code - Name, Receivable Name, ADV Number, BP Name, Amount, Date, and ADV Status. The table is currently empty, displaying 'No data to display' and '0 total'. A blue circular button with a plus sign is visible in the bottom right corner of the main content area. The bottom navigation bar contains 'Home' and 'Preference' icons.

Finance

Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Co	Advance Against F	AN-66-2022-02-25	Search BP Name	Search Amount	Search Date	Search ADV
No data to display							
0 total							

22 Appro... 11 Messa...

Home Preference